

Authorized Agent
in the Middle East

محتوي الكتالوج

- معلومات عن الشركة
- رؤيتنا
- اهدافنا
- فروعنا
- مفهوم جديد للحماية
- فيلم حماية الطلاء
- عازل حراري
- نانو سيراميك
- تلميع
- مميزات
- تقنيات القص الالكتروني
- خدمة حماية اليخوت
- عازل زجاج المباني
- الادوات
- الحماية الدايموند
- الحماية البلاتنيوم
- الحماية البرو
- الحماية البريميم
- الحماية السوبريم
- الحماية المطفي
- الحماية الالوان
- عازل UN
- عازل IR
- عازل XP
- عازل PRO
- عازل زجاج المباني
- سكيورتي (عادي)
- سكيورتي (TPU)
- حماية الشمعات
- حماية صن روف
- تلميع 01
- تلميع 02
- تلميع 03
- نانو سوبريم
- 9H
- 10H
- شامبو واكس
- UX6000
- ملمع كفرات
- سوبريم شاين
- نانو قماش
- كحول
- جل تركيب PPF
- عملائنا

UXP

معلومات عن شركة UXP

لخدمات الحماية والعناية الشاملة بالسيارات شركة متخصصة في تقديم حلول متكاملة في UXP تُعد شركة العازل الحراري للسيارات، تقنيات النانو سيراميك، إضافة إلى مواد التلميع (PPF)، مجالات أفلام حماية الطلاء والعناية المتقدمة بالسيارات بجميع أنواعها. وقد تأسست الشركة امتدادًا لخبرة عملية تزيد عن عشر سنوات في مجال العزل الحراري للسيارات والمباني داخل المملكة العربية السعودية، مما مكّنها من بناء قاعدة قوية من الخبرة والمعرفة التقنية

برؤية واضحة تهدف إلى الحفاظ على مظهر السيارات، تعزيز حمايتها، ورفع كفاءتها وجودتها UXP تنطلق على المدى الطويل، من خلال اعتماد أحدث التقنيات والمواد المعتمدة عالميًا، وتطبيق أعلى معايير الجودة في التنفيذ

الأمريكية في المملكة العربية السعودية، في إطار شراكة UXP الوكيل الحصري لمنتجات UXP وتُعد شركة استراتيجية تعكس الثقة المتبادلة والالتزام بالابتكار. وخلال مسيرتها، حققت الشركة نموًا متواصلاً ونجحت في كسب ثقة عدد كبير من وكالات السيارات العالمية داخل المملكة، بفضل احترافيتها العالية وجودة خدماتها

ويعود هذا النجاح إلى امتلاك الشركة جهازًا إداريًا ذا خبرة واسعة في البحث واختيار أفضل المنتجات، إلى جانب حرصها الدائم على تدريب وتأهيل كوادرها الفنية من خلال كبرى الشركات العالمية المتخصصة في أفلام الحماية، العازل الحراري، النانو سيراميك، والعناية الشاملة بالسيارات

باستمرار إلى تقديم حلول متكاملة تضمن أعلى مستويات الحماية، أفضل مظهر جمالي، UXP وتسعى وتجربة عناية شاملة بالسيارات، بما يلبي تطلعات عملائها ويعزز ثقتهم المستمرة



أهدافنا

تقديم أعلى مستويات الحماية والعناية للسيارات من خلال أحدث التقنيات العالمية: PPF، النانو سيراميك، العازل الحراري، والتلميع الاحترافي.

الحفاظ على مظهر السيارة وقيمتها مع ضمان حماية طويلة الأمد لجميع الأجزاء الداخلية والخارجية.

توفير تجربة عملاء متميزة من خلال جودة عالمية في كل خدمة واحترافية فريق العمل

العمل على توسيع حضورنا في جميع مناطق المملكة العربية السعودية لتسهيل الوصول لعملائنا أينما كانوا.

السعي للتوسع في جميع دول الشرق الأوسط، لنصبح الخيار الأول للعناية بالسيارات في المنطقة

تقديم حلول متكاملة لجميع احتياجات العناية بالسيارات في مكان واحد، بما في ذلك خدمات الحماية، التلميع، أدوات العناية والصيانة.

الالتزام بالابتكار والجودة واستخدام مواد صديقة للبيئة، لضمان أفضل أداء وأعلى معايير الأمان



UXP

رؤيــتنا

نسعى لأن نكون الوجهة الأولى للعناية بالسيارات في المملكة العربية السعودية والشرق الأوسط، من خلال تقديم حلول حماية مبتكرة وشاملة تشمل PPF، النانو سيراميك، العازل الحراري، والتلميع الاحترافي. نطمح للحفاظ على قيمة السيارات وجمالها على المدى الطويل، مع تقديم تجربة عملاء استثنائية تجمع بين الاحترافية والجودة العالمية.

نؤمن بالابتكار المستمر واستخدام أحدث التقنيات والمواد الصديقة للبيئة لضمان الأداء الأمثل وأعلى معايير السلامة. كما نهدف إلى توسيع حضورنا في جميع أنحاء المملكة والدول المجاورة، لنصبح العلامة الرائدة التي يثق بها العملاء في كل مكان، مع تقديم حلول متكاملة لجميع احتياجات العناية بالسيارات في مكان واحد، بما يعكس التزامنا بالجودة والتميز والابتكار.



فروعنا

تمتلك شركة UXP للعناية بالسيارات حالياً 8 فروع موزعة كالتالي: 3 فروع في جدة، 3 فروع في الرياض، وفرع واحد في الخرج، وفرع في مصر (القاهرة) ونسعى باستمرار لتوسيع شبكة فروعنا في جميع أنحاء المملكة لنتمكن من تلبية جميع احتياجات عملائنا أينما كانوا.



UXP
مفهوم جديد لحماية وأناقة سيارتك

للعناية بالسيارات نقدم منظومة متكاملة من خدمات الحماية والتجميل المصممة UXP في خصيصًا للحفاظ على سيارتك بأعلى مستوى من الجودة والأداء، مع اعتماد أحدث التقنيات العالمية والمواد المعتمدة وفق أعلى المواصفات

نؤمن أن السيارة ليست وسيلة نقل فقط، بل استثمار يعكس ذوقك وقيمتك، ولذلك نعمل على تقديم حلول احترافية تحافظ على مظهرها، أدائها، وقيمتها السوقية على المدى الطويل

خدماتنا تشمل :

(PPF) أفلام حماية الطلاء
نوفر أفلام حماية شفافة مطفية وملونة عالية الجودة تعمل على حماية الطلاء الأصلي من الخدوش، الحصى، العوامل الجوية و أ شعة الشمس، مع خاصية الشفاء الذاتي ولمعان يدوم طويلاً.

العازل الحراري للنوافذ
لتقليل حرارة المقصورة، حجب الأشعة فوق البنفسجية بنسبة عالية، Ultra Nano Ceramic نستخدم أفلام عزل حراري متطورة بتقنية حماية داخلية السيارة، مع وضوح رؤية كامل ودون التأثير على إشارات الأجهزة.

النانو سيراميك
طلاء نانو سيراميك احترافي يمنح السيارة طبقة حماية فائقة ضد الأتربة، الأوساخ، المواد الكيميائية والعوامل البيئية، مع لمعان عميق وسطح سهل التنظيف يدوم لفترات طويلة.

التلميع الاحترافي
خدمات تلميع متقدمة متعددة المراحل لإزالة الخدوش السطحية، آثار الغسيل الخاطئ، واستعادة بريق الطلاء ليعود وكأنه جديد.

أدوات ومنتجات العناية بالسيارات
نوفر مجموعة مختارة من أدوات ومنتجات العناية عالية الجودة، المصممة للاستخدام الاحترافي والمنزلي، لضمان أفضل نتائج في التنظيف والحماية.

حماية اليخوت
نقدم حلول حماية متخصصة لليخوت تشمل أفلام حماية الهيكل والعزل الحراري، المصممة لتحمل الظروف البحرية القاسية، مقاومة الخدوش والعوامل البيئية، مع الحفاظ على المظهر الفاخر والمتانة طويلة الأمد.

عازل المباني
نوفر أفلام عزل حراري متطورة لواجهات ونوافذ المباني السكنية والتجارية، تساعد على تقليل انتقال الحرارة، حجب الأشعة الضارة، تحسين كفاءة الطاقة، ورفع مستوى الراحة الداخلية دون التأثير على الإضاءة أو الرؤية.

UXP

فيلم حماية الطلاء

أفلام حماية طلاء السيارات بالفلم الشفاف

فلم حماية الطلاء uxp ليس فلم حماية تقليدي تم تصنيعه بمزيج من البوليمرات المطاطية الحديثة.

الشفاف فلم خاص محمي ضد التشويه والإصفرار بسبب التلوث والإشعاع فوق البنفسجي.

وأيضا يقوم بمعالجة نفسه تلقائياً من العلامات والخدوش السطحية التي يمكن أن تحدث من خلال الغسيل العادي والتجفيف.

أفلام العازل الحراري نانوسيراميك

نوفر لكم العازل الحراري الشفاف للزجاج بتشكيلة من درجات التظليل المتطورة، لتمنحكم فرصة إختيار الشكل الذي ترغبون فيه بالتحديد من درجات التظليل الأنيقة لهذا العازل الذي يوحي بالفخامة، بتقنية النانو سيرامك. بالإضافة لطرد الحرارة بمعدل فائق والحد من وهج أشعة الشمس والحماية من الأشعة فوق البنفسجية بدون أي إستخدام للمعادن ، لكي لا تتداخل مع الإشارات التي تبثها أو تستقبلها أجهزتك الإلكترونية تم تصنيع هذا العازل وفق معايير دقيقة مع إضافة طبقة مصنوعة من جسيمات نانونية لطرد الحرارة بمعدل فائق ومضاعفة الحماية من الأشعة فوق البنفسجية، وتركيب طبقة إضافية لتحقيق أفضل مقاومة للخدش.





نانو سيراميك

حماية الطلاء بتقنية النانوسيراميك
لمعان وبريق استثنائي

حماية الطلاء بتقنية النانوسيراميك UXP صمم خصيصاً في معامل معتمدة بالولايات المتحدة الأمريكية بمعدلات حماية ذات قدرة عالية في حماية طلاء السيارات بإضافة طبقات زجاجية شديدة الصلابة إلى طلاء السيارة بسماكة ميكرون ليوفر حماية الطلاء من آثار المواد الكيميائية والأشعة فوق البنفسجية وطرد المياة والأوساخ مع إضافة طابع خاص لمظهر في غاية اللمعان الزجاجي العاكس وملمس ناعم بفضل تقنية سد المسام التي قد يتسرب منها أي ضرر كيميائي إلى الطلاء.



تلميـــع

خدمـات تلميـع السـيارات

تلميـــــع UXP

نقدم لكم خدمات تلميع السيارات بشكل مميز وبإستخدام أفضل المواد والإستعانة بأمهر الفنيين لدينا مع إستخدام أحدث الأدوات والأجهزة عالمياً في مجال تلميع السيارات.



UXP

مميزات UXP للعناية بالسيارات

جودة بمعايير عالمية

مواد ومنتجات عالية الجودة مطابقة للمواصفات العالمية، مختارة بعناية UXP نستخدم في لتقديم أفضل أداء في الحماية والتجميل

حلول حماية متكاملة

إلى العازل الحراري والنانو سيراميك، نوفر منظومة شاملة (PPF) من أفلام حماية الطلاء تحمي السيارة من العوامل البيئية وتحافظ على قيمتها

تقنيات متقدمة

بخاصية PPFو Ultra Nano Ceramic نعتمد أحدث التقنيات في مجال العناية بالسيارات مثل الشفاء الذاتي لضمان نتائج تدوم طويلاً

فريق فني محترف

يعمل لدينا فنيون متخصصون ومدربون على أعلى مستوى، مع اهتمام دقيق بأدق التفاصيل في كل مرحلة من مراحل العمل

نتائج ملموسة وفورية

تحسن واضح في المظهر، لمعان عميق، حماية فعالة، وتجربة قيادة أكثر راحة من أول يوم

UXP

تقنيات القص الإلكتروني المتقدمة

نمتلك في UXP للعناية بالسيارات أحدث وأفضل ماكينات القص الإلكتروني المتخصصة لأفلام حماية الطلاء (PPF) وأفلام العازل الحراري، مما يضمن دقة عالية في القص، تركيبًا مثاليًا دون أي تدخل يدوي، وحماية كاملة للسيارة وفق أعلى معايير الجودة والاحترافية.



UXP

حماية اليخوت الفاخرة

تقدم UXP حلول حماية متقدمة لليخوت، تشمل أفلام حماية الطلاء عالية الأداء والعزل الحراري، والمصممة لتحمل الظروف البحرية القاسية مع الحفاظ على مظهر فاخر ومتانة تدوم طويلاً.



UXP

عازل المباني

توفر شركة UXP حلول عزل زجاج المباني المتقدمة باستخدام أحدث أفلام العزل الحراري وتقنية Ultra Nano Ceramic، المصممة خصيصًا للمباني السكنية والتجارية. تعمل هذه الأفلام على تقليل انتقال الحرارة بشكل ملحوظ، حجب الأشعة فوق البنفسجية الضارة، وحماية الأثاث والديكورات الداخلية من التلف. بالإضافة لذلك، تساعد على تحسين كفاءة الطاقة وخفض استهلاك التكييف، مع الحفاظ على وضوح الرؤية والإضاءة الطبيعية، ما يخلق بيئة داخلية مريحة وصحية. خدمات UXP تجمع بين الأداء العالي والمتانة الطويلة لتضمن استثمارًا طويل الأمد في حماية المبنى وزيادة راحة السكان والمستخدمين.



UXP

UXP ادوات



UXP


U-XP
PAINT PROTECTION FILM
DIAMOND
PROTECTION
U-XP
U-XP

PAINT PROTECTION FILM

DIAMOND

أسطح الاستخدام

UXP PAINT PROTECTION FILM PPF هـو فيلـم حماية طلاء لامع فاخر مصنوع من مادة TPU عالية الجودة. صُمـم خصيصًا للحفاظ على الطلاء الأصلي للسـيارة مع منحها مظهرًا لامعًا أنيقًا وعصريًا.
يوفّر الفيلم حماية متقدمة ضد الخدوش، الحصى، التآكل، والعوامل البيئية القاسية، مع الحفاظ على ملمس لامع ثابت بدون تغيّر في اللون



السمك الكلي	8.5 ميل (215 ميكرون)
(TPU) بولي يوريثان مطاطي	7 ميل (178 ميكرون)
طبقة الطلاء العلوية من اليوريثان	0.5 ميل (13 ميكرون)
طبقة لاصقة	1 ميل (23 ميكرون)
طبقة البطانة	3 ميل (75 ميكرون)
قوة الشد	20 ميجا باسكال
الاستطالة عند الانكسار	250٪
قوة الفصل الابتدائية	400 نيوتن / متر
الحالة العادية	600 نيوتن / متر
بعد الغمر في الماء	600 نيوتن / متر
بعد التعرض لتأثيرات الطقس المعجلة	600 نيوتن / متر
زاوية تماس الماء	103°
اللمعان	98٪
الضمان	10 سنوات

UXP



UXP

PAINT PROTECTION FILM

PLATINUM

أسطح الاستخدام

UXP PAINT PROTECTION FILM PPF هـو فيلـم حماية طلاء لامع فاخر مصنوع من مادة TPU عالية الجودة. صُمـم خصيصًا للحفاظ على الطلاء الأصلي للسـيارة مع منحها مظهرًا لامعًا أنيقًا وعصريًا.
يوفر الفيلم حماية متقدمة ضد الخدوش الحصى، التآكل، والعوامل البيئية القاسية مع الحفاظ على ملمس لامع ثابت بدون تغيّر في اللون

السمك الكلي	7.5 ميل (185 ميكرومتر)
(TPU) بولي يوريثان مطاطي	6 ميل (150 ميكرومتر)
طبقة الطلاء العلوية من اليوريثان	0.5 ميل (13 ميكرومتر)
طبقة لاصقة	1 ميل (23 ميكرومتر)
طبقة البطانة	3 ميل (75 ميكرومتر)
قوة الشد	15 ميغاباسكال
الاستطالة عند الانكسار	300٪
قوة الفصل الابتدائية	360 نيوتن/م
الحالة العادية	620 نيوتن/م
بعد الغمر في الماء	620 نيوتن/م
بعد التعرض لتأثيرات الطقس المعجلة	620 نيوتن/م
اللمعان	92٪
الضمان	7 سنة

UXP


PAINT PROTECTION
PAINT PROTECTION FILM
10 YEARS
PRO
U-XP
U-XP
U-XP

U-XP

PAINT PROTECTION FILM
PRO



أسطح الاستخدام

UXP PAINT PROTECTION FILM PPF هـو فيلـم حماية طلاء لامع فاخر مصنوع من مادة TPU عالية الجودة، صُمم خصيصًا للحفاظ على الطلاء الأصلي للسيارة مع منحها مظهرًا لامعًا أنيقًا وعصريًا.
يوفر الفيلم حماية متقدمة ضد الخدوش، الحصى، التآكل، والعوامل البيئية القاسية، مع الحفاظ على ملمس لامع ثابت بدون تغيّر في اللون

السمك الكلي	7.5 ميل (185 ميكرومتر)
(TPU) بولي يوريثان مطاطي	6 ميل (150 ميكرومتر)
طبقة الطلاء العلوية من اليوريثان	0.5 ميل (13 ميكرومتر)
طبقة لاصقة	1 ميل (23 ميكرومتر)
طبقة البطانة	3 ميل (75 ميكرومتر)
قوة الشد	15 ميغاباسكال
الاستطالة عند الانكسار	280%
قوة الفصل الابتدائية	300 نيوتن/م
الحالة العادية	600 نيوتن/م
بعد الغمر في الماء	600 نيوتن/م
بعد التعرض لتأثيرات الطقس المعجلة	600 نيوتن/م
اللمعان	87%
الضمان	10 سنة


UXP
PAINT PROTECTION FILM
PREMIUM
UXP
UXP

PAINT PROTECTION FILM

PREMIUM

أسطح الاستخدام

هو الحل المثالي للحفاظ على طلاء سيارتك بحالته الأصلية وكأنه جديد لسنوات طويلة. تم تطوير الفيلم باستخدام أحدث تقنيات البولي يوريثان الحراري (TPU) ليمنح حماية فائقة ضد الخدوش، تطاير الحصى، العوامل الجوية القاسية، وأشعة الشمس فوق البنفسجية، مع الحفاظ على لمعان الطلاء الأصلي دون تغيير اللون.
يتميز فيلم UXP PREMIUM بخاصية الشفاء الذاتي التي تعالج الخدوش السطحية تلقائيًا عند التعرض للحرارة، إضافة إلى مرونة عالية تسهّل التركيب وتضمن مظهرًا أنيقًا بدون تموجات أو حواف ظاهرة.

اسم المنتج	UXP PREMIUM PAINT PROTECTION FILM
نوع المادة	TPU - THERMOPLASTIC POLYURETHANE
السماكة الكلية	7.5 - 8.5 MIL (≈ 190 - 215 ميكرون)
الطبقة العلوية	SELF-HEALING TOP COAT
اللمعان	عالي الوضوح - ULTRA GLOSS
مقاومة الخدوش	ممتازة
مقاومة الاصفرار	عالية
مقاومة الأشعة فوق البنفسجية	UV RESISTANT
الاستطالة	250%
زاوية طرد الماء	100°
درجة حرارة التركيب	من 10°C إلى 30°C
الاستخدام	حماية طلاء السيارات الخارجي
العمر الافتراضي	طويل الأمد
الضمان	5 سنوات

UXP



UXP

PAINT PROTECTION FILM

SUPREME

أسطح الاستخدام

PPF SUPREME UXP هـو فيلم حمايـة طلاء عالي الأداء صُمم خصيصًا للحفاظ على الطلاء الأصلي للسـيارة وحمايته مـن الخدوش، الحصى، العوامل الجوية وأشـعة الشمس الضارة.
يتميز الفيلم بوضوح فائق ولمعان عميق مع تقنية الشـفاء الذاتي التي تعالج الخدوش السـطحية تلقائيًا بالحـرارة، ممـا يحافظ على مظهـر السـيارة وكأنهـا جديـدة لفتـرة طويلة.
تم تطوير SUPREME UXP ليجمع بين القوة والمرونة وسـهولة التركيب، مع مقاومة ممتازة للاصفرار والتشـققات، ومدعوم بضمان حقيقي لمدة 5 سـنوات ضد عيـوب التصنيع وتغير اللون.

نوع الفيلم	THERMOPLASTIC POLYURETHANE (TPU)
السمك الكلي	8.5 MIL (≈215 ميكرون)
الطبقة العلوية	طبقة طلاء شفافة ذاتية الإصلاح
مستوى اللمعان	لمعان عالٍ - شفاف للغاية
مقاومة الخدوش	ممتازة
مقاومة الاصفرار	عالية جدًا
مقاومة الأشعة فوق البنفسجية	نعم (UV RESISTANT)
المرونة	عالية - سهلة التشكيل
قوة الشد	20 MPA<
الاستطالة	250%<
زاوية طرد الماء	103°<
نفاذية الضوء	92%<
درجة حرارة التشغيل	-30°C إلى +110°C
قابلية الإزالة	آمنة دون إتلاف الطلاء

UXP


UXP
PAINT PROTECTION FILM
MATTE
UXP
UXP

PAINT PROTECTION FILM

PPF MATTE

أسطح الاستخدام

UXP MATTE PPF هـو فيلـم حماية طلاء مطفي فاخر مصنوع من مادة TPU عالية الجودة، صُمم خصيصًا للحفاظ على الطلاء الأصلي للسيارة مع منحها مظهرًا مطفيًا أنيقًا وعصريًا.
يوفر الفيلم حماية متقدمة ضد الخدوش، الحصى، التآكل، والعوامل البيئية القاسية، مع الحفاظ على ملمس مطفي ثابت بدون لمعان أو تغيّر في اللون



العلامة التجارية	UXP
اسم المنتج	UXP MATTE PPF
نوع الفيلم	فيلم حماية طلاء مطفي
المادة	TPU فاخر (بولي يوريثان حراري)
سماكة الفيلم	180 - 220 ميكرون
تشطيب السطح	مطفي
خاصية الشفاء الذاتي	نعم - شفاء ذاتي مفعّل بالحرارة
مقاومة الأشعة فوق البنفسجية	ممتازة - يمنع بهتان الطلاء
مقاومة الخدوش	عالية
مقاومة الصدمات	يحمي من تطاير الحصى ومخلفات الطريق
الخصائص الطاردة للماء	نعم - طارد للماء والأوساخ
المقاومة الكيميائية	مقاوم للزيوت والأحماض والملوثات
ثبات اللون	عالية - يحافظ على درجة المظهر المطفي
نوع المادة اللاصقة	مادة لاصقة متقدمة حساسة للضغط
قابلية الإزالة	إزالة آمنة دون إتلاف الطلاء
درجة حرارة التشغيل	مستقر في الأجواء شديدة الحرارة والبرودة
مناطق التطبيق	تغطية كاملة للسيارة / أجزاء محددة
الضمان	حتى 5 سنوات

UXP



UXP

COLOR PPF

أسطح الاستخدام

UXP COLORED PPF هو فيلم حماية طلاء ملون فاخر مصنوع من مادة TPU عالية الجودة. يجمع بين الحماية المتقدمة والمظهر الجمالي العصري في حل واحد.

يوفر الفيلم حماية شاملة لطلاء السيارة ضد الخدوش، الحصى، العوامل الجوية، والأشعة فوق البنفسجية، مع إمكانية تغيير لون السيارة أو تعزيز مظهرها بدون طلاء دائم.

العلامة التجارية	UXP
اسم المنتج	UXP COLORED PPF
نوع الفيلم	فيلم حماية طلاء ملون
المادة	TPU فاخر (بولي يوريثان حراري)
سماكة الفيلم	180 - 220 ميكرون
تشطيب السطح	لامع / مطفي / ساتان / معدني
خاصية الشفاء الذاتي	نعم - شفاء ذاتي مفعل بالحرارة
مقاومة الأشعة فوق البنفسجية	ممتازة - حماية من بهتان اللون
مقاومة الخدوش	عالية
مقاومة الصدمات	يحمي من تطاير الحصى ومخلفات الطريق
الطلاء الطارد للماء	نعم - طارد للماء والأوساخ
المقاومة الكيميائية	مقاوم للزيوت والأحماض والملوثات
ثبات اللون	عالية - عمق لون يدوم طويلاً
نوع المادة اللاصقة	مادة لاصقة متقدمة حساسة للضغط
قابلية الإزالة	إزالة آمنة دون إتلاف الطلاء
درجة حرارة التشغيل	مستقر في الأجواء شديدة الحرارة والبرودة
مناطق التطبيق	تغطية كاملة للسيارة / أجزاء محددة
الضمان	حتى 5 سنوات

UXP


UXP
PREMIUM WINDOW FILM UN
UXP
UXP

WINDOW FILM

UN

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	61%
VLT	IRR	UVR	TSER
50%	99.0%	99.99%	70%
VLT	IRR	UVR	TSER
35%	99.0%	99.99%	80%
VLT	IRR	UVR	TSER
20%	99.0%	99.99%	88%

UXP



UXP

WINDOW FILM

IR

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	60%
VLT	IRR	UVR	TSER
50%	99.0%	99.99%	69%
VLT	IRR	UVR	TSER
35%	99.0%	99.99%	79%
VLT	IRR	UVR	TSER
20%	99.0%	99.99%	86%

UXP


U-XP
WINDOW FILM
USA QUALITY
CERAMIC TINT
HIGH PERFORMANCE
10
U-XP

WINDOW FILM
XP

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	63%
VLT	IRR	UVR	TSER
50%	99.0%	99.99%	74%
VLT	IRR	UVR	TSER
35%	99.0%	99.99%	85%
VLT	IRR	UVR	TSER
20%	99.0%	99.99%	89%

UXP



U-XP

WINDOW FILM
PRO

VLT	IRR	UVR	TSER
70%	95.0%	99.00%	52%
VLT	IRR	UVR	TSER
50%	96.0%	99.00%	59%
VLT	IRR	UVR	TSER
35%	94.0%	99.00%	65%
VLT	IRR	UVR	TSER
20%	95.0%	99.00%	68%

UXP



UXP

PREMIUM BUILDING TINT
NANO TECHNOLOGY

أسطح الاستخدام

UXP BUILDING INSULATION FILM هـو فيلم عزل حراري متطور مخصص لواجهات وزجاج المبانـي السـكنية والتجارية، صُمم لتقليل انتقال الحرارة والأشـعة الضارة إلى داخل المبنى، مما يسـاهم في تحسـين كفاءة الطاقة ورفع مستوى الراحة الداخلية

العلامة التجارية	UXP
اسم المنتج	UXP BUILDING INSULATION FILM
نوع الفيلم	فيلم عزل حراري معماري
الاستخدام / التطبيق	زجاج المباني السكنية والتجارية
المادة	فيلم بوليستر متعدد الطبقات
نفاذية الضوء المرئي (VLT)	20٪ - 70٪ (تختلف حسب الموديل)
حجب الأشعة تحت الحمراء (IR)	حتى 98٪
حجب الأشعة فوق البنفسجية	≥ 99٪
تقليل الحرارة الشمسية	عالية
تقليل الوهج	نعم
كفاءة الطاقة	يقلل حمل التبريد واستهلاك الطاقة
خيارات المظهر	شفاف / تظليل خفيف / عاكس
نوع المادة اللاصقة	مادة لاصقة معمارية عالية الأداء
جهة التركيب	السطح الداخلي للزجاج
التوافق	مناسب لمعظم أنواع زجاج المباني
المتانة	أداء طويل الأمد
درجة حرارة التشغيل	مستقر في الظروف المناخية القاسية
الصيانة	سهل التنظيف والصيانة
الضمان	حتى 10 سنوات

UXP


UXP
SECURITY
SHIELD
UXP
UXP

SECURITY

أسطح الاستخدام

UXP SECURITY FILM هو فيلم حماية شفاف عالي الجودة مخصص للزجاج الأمامي، يـوفر طبقة أمان إضافية ضد الكسر والتناثر، ويعزز تماسك الزجاج عند الصدمات دون التأثير على الرؤية أو وضوح القيادة، ليمنحك حماية يومية وثقة أكبر على الطريق بمعايير احترافية.

العلامة التجارية	UXP
اسم المنتج	UXP SECURITY FILM
الاستخدام	السيارات - الزجاج الأمامي
سماكة الفيلم	100 - 200 ميكرون
نفاذية الضوء المرئي (VLT)	≤ 99%
حجب الأشعة فوق البنفسجية	≤ 99%
مقاومة التكسر	عالية - تماسك الزجاج عند الكسر
طلاء السطح	طلاء صلب مقاوم للخدش
خيارات الألوان	شفاف / تظليل خفيف (اختياري)
نوع المادة اللاصقة	مادة لاصقة قوية مخصصة للسيارات
جهة التركيب	الجهة الداخلية للزجاج الأمامي
ظروف التشغيل	مستقر تحت درجات الحرارة العالية والمنخفضة
الغرض الرئيسي	السلامة، الحماية، وحماية الزجاج

UXP



UXP

WINDOW SHIELD
TPU

أسطح الاستخدام

UXP WINDOW SHIELD TPU هو فيلم أمني متطور مصنوع من مادة TPU عالية المرونة، مصمم خصيصًا لحماية الزجاج الأمامي للسيارات من الكسر، التشققات، والتشظي الناتج عن الحوادث أو الصدمات الخارجية.
يعتمد الفيلم على تقنية الطبقات المتعددة التي تعمل على تدعيم الزجاج والحفاظ على تماسكه عند الكسر، مما يقلل بشكل كبير من تطاير الشظايا ويعزز مستوى الأمان للسائق والركاب

العلامة التجارية	UXP
اسم المنتج	WINDOW SHIELD TPU
نوع الفيلم	فيلم حماية أمني من TPU
الاستخدام	السيارات - الزجاج الأمامي
المادة	TPU عالي الجودة (بولي يوريثان حراري)
سماكة الفيلم	150 - 200 ميكرون
نفاذية الضوء المرئي (VLT)	≤ 97%
حجب الأشعة فوق البنفسجية	≤ 99%
مقاومة التكسّر	عالية - يحافظ على تماسك الزجاج عند الكسر
خاصية الشفاء الذاتي	نعم - شفاء ذاتي مفعّل بالحرارة
طلاء السطح	مقاوم للخدش مع مرونة واستعادة ذاتية
خيارات الألوان	شفاف كريستالي
نوع المادة اللاصقة	مادة لاصقة بصرية متقدمة عالية الوضوح
جهة التركيب	الجهة الداخلية للزجاج الأمامي
المتانة	أداء طويل الأمد
الضمان	4 سنوات
درجة حرارة التشغيل	مستقر تحت درجات الحرارة العالية والمنخفضة جدًا
التوافق	آمن لأجهزة الاستشعار وأنظمة ADAS

UXP


U-XP
HEADLIGHT
U-XP
HEADLIGHT
U-XP
PX22

HEAD LIGHT

تقدم UXP حلول حماية متقدمة لصن روف السيارات، تشمل أفلام حماية وعزل حراري عالية الأداء مصممة لتقليل الحرارة، ومقاومة الخدوش، والتحمل أمام الظروف البيئية القاسية، مع الحفاظ على وضوح الرؤية ومتانة تدوم طويلاً.



UXP



UXP

SUN ROOF

تقدم UXP حلول حماية متقدمة لهيدلايت السيارات، تشمل أفلام حماية عالية الأداء مصممة لمقاومة الخدوش والاصفرار والعوامل البيئية القاسية، مع الحفاظ على وضوح الرؤية ومتانة تدوم طويلاً.



UXP


U-XP
U-01
Heavy Cut Compound
Removes heavy scratches
and swirls from car paint.
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-01
U-XP
U-XP

HEAVY CUT COMPOUND

U-01

أسطح الاستخدام

إزالة الخدوش الكبيرة تُجهّز سطح هيكل السيارة لمعالجة الطلاء بالسيراميك. UXP U-01 هو مركب قوي لإزالة العيوب يهدف إلى تصحيح الطلاء التالف. كما أنه الخيار المثالي لأعمال التشطيب على الطبقات العلوية المقاومة.

التعبئة	0.25 / 0.5 / 1 كجم
درجة حرارة التطبيق	من 5°م إلى 30°م
مستوى الصنفرة	P1200
مستوى القطع	قوي
نسبة اللمعان	50%

UXP


U-XP
U-02
Medium Cut Compound
Removes medium scratches and swirls from car paint.
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-02
U-XP
U-XP

MEDIUM CUT COMPOUND

U-02

أسطح الاستخدام

إزالة الخدوش المتوسطة تُجهّز سطح هيكل السيارة لمعالجة الطلاء بالسيراميك. UXP U-02 مُصمّم لدمج الخدوش وجعلها تختفي بكفاءة. كما أنه مثالي أيضًا لأعمال التشطيب على الطبقات العلوية المقاومة والشمع.

التعبئة	0.25 / 0.5 / 1 كجم
درجة حرارة التطبيق	من 5°م إلى 30°م
مستوى الصنفرة	P1500
مستوى القطع	متوسط
نسبة اللمعان	60%

UXP


U-XP
U-03
Fine Cut Compound
Removes fine scratches
and swirls from car paint
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-03

U-XP

FINE CUT COMPOUND

U-03

أسطح الاستخدام

UXPU-03 هو مركب تلميع دقيق عالي التقنية مصمم ومُحسّن لتحقيق مستوى لمعان عالٍ. يمكن استخدامه على الطلاءات الجديدة والقديمة على حد سواء.

التعبئة	كجم 1 / 0.5 / 0.25
درجة حرارة التطبيق	من 5°م إلى 30°م
مستوى الصنفرة	P2500
مستوى القطع	ناعم
نسبة اللمعان	70%

UXP


U-XP
UX
SUPREME
NANO
Nano Ceramic Coating
U-XP
UX
SUPREME
NANO
Nano Ceramic Coating
50 ml
U-XP

UX SUPREME NANO

أسطح الاستخدام

يمكن استخدام طلاء نانو سيراميك UX SUPREME NANO على طلاء السيارات ومركبات النقل، المصابيح الأمامية والخلفية، الجنوط، والأسطح البلاستيكية السوداء وأسلاك التريم. لا تقم بتطبيق هذا المنتج على الأجزاء البلاستيكية غير المطلية، الأسطح المطلية حديثًا (خلال 3 أشهر)، الطلاء منخفض الجودة، الزجاج، الأقمشة، الإطارات، أو أي مواد ماصة

الحجم	مل 50
أسطح التطبيق	طلاء السيارات ومركبات النقل، المصابيح الأمامية والخلفية، الجنوط، البلاستيك الأسود، والأسطح الخارجية (التريم).
مقاومة المواد الكيميائية	من PH1 الي PH12
مقاومة الخدوش	✓
خاصية طرد الماء	✓
خاصية طرد الزيوت	✓
سُمك الطبقة الجافة	نانومتر 500 - 400
معدل الاستهلاك لكل وحدة مساحة	8 - 5 مل/م²
تحمل درجات الحرارة	حتى 275°م
درجة حرارة التطبيق	من +5°م إلى +30°م
مدة التصلب	4 ساعات للمس 24 ساعة للتلامس مع الماء
شروط التخزين	من +5°م إلى +30°م
مدة الصلاحية	سنتان قبل الفتح أسبوع واحد بعد الفتح
محتويات العلبة	9 قطع


U-XP
DIAMOND
10H
Nano Ceramic
Car Paint Protection
U-XP
DIAMOND
10H
Nano Ceramic
Car Paint Protection
50ml
U-XP

DIAMOND 10H

أسطح الاستخدام

يمكن استخدام طلاء نانو سيراميك 10H على طلاء السيارات ومركبات النقل، المصابيح الأمامية والخلفية، الجنوط، والأسطح البلاستيكية السوداء وأسلاك التريم. لا تقم بتطبيق هذا المنتج على الأجزاء البلاستيكية غير المطلية، الأسطح المطلية حديثًا (خلال 3 أشهر)، الطلاء منخفض الجودة، الزجاج، الأقمشة، الإطارات، أو أي مواد ماصة

الحجم	مل 50
أسطح التطبيق	طلاء هيكل السيارة، الأجزاء البلاستيكية المطلية، المصابيح الأمامية والخلفية، والجنوط
مقاومة المواد الكيميائية	من PH1 الي PH 12
مقاومة الخدوش	✓
خاصية طرد الماء	✓
خاصية طرد الزيوت	✓
توافق مع لوائح REACH	✓
سَمك الطبقة الجافة	نانومتر 700 - 800
معدل الاستهلاك لكل وحدة مساحة	4 - 5 مل/م²
تحمل درجات الحرارة	حتى 150°م
درجة حرارة التطبيق	من +5°م إلى +30°م
صلابة القلم	10H
شروط التخزين	من +3°م إلى +30°م
مدة الصلاحية	سنتان قبل الفتح أسبوع واحد بعد الفتح
محتويات العلبة	10 قطع

UXP


U-XP
PLATINUM
9H
Nano Ceramic
Car Paint Protection
U-XP
PLATINUM
9H
Nano Ceramic
Car Paint Protection
50ml
PLATINUM
U-XP

PLATINUM 9H

أسطح الاستخدام

يمكن استخدام طلاء نانو سيراميك PLATINUM 9H على طلاء السيارات ومركبات النقل، المصابيح الأمامية والخلفية، الجنوط، والأسطح البلاستيكية السوداء وأسلاك التريم. لا تقم بتطبيق هذا المنتج على الأجزاء البلاستيكية غير المطلية، الأسطح المطلية حديثًا (خلال 3 أشهر)، الطلاء منخفض الجودة، الزجاج، الأقمشة، الإطارات، أو أي مواد ماصة

الحجم	مل 100
أسطح التطبيق	طلاء السيارات، المصابيح الأمامية والخلفية، الجنوط، والأجزاء الكرومية
مقاومة المواد الكيميائية	من PH1 الي PH12
مقاومة الخدوش	✓
خاصية طرد الماء	✓
خاصية طرد الزيوت	✓
سُمك الطبقة الجافة	طبقة واحدة: 200 - 300 نانومتر طبقتان: 300 - 400 نانومتر
معدل الاستهلاك لكل وحدة مساحة	2 - 3 مل / م^2
تحمل درجات الحرارة	حتى 275°م
درجة حرارة التطبيق	من +5°م إلى +30°م
مدة الصلاحية	سنتان دون فتح العبوة شهر واحد بعد الفتح
المظهر	سائل عديم اللون

UXP


UXP
UXP SHAMPOO WAX
Foam Car Wash Shampoo
Professional shampoo for removing dirt and grime with a coating-safe formula.
• Concentrated formula
• Safe for nano coatings
• Easy to rinse
4kg
SHAMPOO
UXP Shampoo Wax is a high-foam, citrus-scented car wash shampoo designed to safely clean and protect surfaces. Its concentrated formula helps remove dirt and grime while minimizing surface abrasion, making it ideal for use alongside UXP Nano Coatings.
Application Surfaces
Suitable for all exterior vehicle surfaces like paintwork, plastic trims, tires, and rims. Not for interior or engine use.
Application
Machine Shake well before use. Dilute 1% for foam lance or 1GS for water tank. Apply a thick foam layer and let it dwell for 1-2 minutes. Rinse thoroughly with a high-pressure washer. Dry with a soft, lint-free towel.
Bucket Rinse the vehicle first. Mix 30 ml, (1 cap) of UXP Shampoo Wax with 10 L of warm water. Apply using a wash mitt, working from top to bottom in straight lines. Let stubborn grime soak. Rinse well with a hose or pressure washer and dry with a soft, lint-free towel to avoid water spots.
Storage
Store in a tightly closed container in a dry, well-ventilated place, away from heat and ignition sources. Keep between -3°C and +30°C. The product is good for 2 years when unopened and stored properly.
Warning
H315 Causes skin irritation
H318 Causes serious eye damage
Wear protective clothing, gloves, and eye protection. If in eyes, rinse thoroughly with water and call a Poison Centre/doctor immediately. For skin irritation, seek medical advice. Dispose of contents according to local regulations.
Expiry 2 years after manufacturing
UXP
2/28 Street A, Cachingan District, Phyeh Kingdom of Saudi Arabia
2/28 Cassiah Street, Ar Salamah District, Jeddah, Kingdom of Saudi Arabia
Manufacturing Date (MM / YY)
Made in Türkiye

UXP SHAMPOO
WAX

أسطح الاستخدام

يُرجّ العبوة جيدًا قبل الاستعمال. يُستخدم بعيدًا عن أشعة الشمس المباشرة وعلى أسطح باردة.

التعبئة	500 جم
الكثافة	1.17 جم/سم³ :23°م
الرقم الهيدروجيني	12.5 - 13

UXP


UX 6000
UX
6000
All Purpose Cleaner
Versatile solution for easy decontamination of all surface types.
• Concentrated formula
• Easy to use
• Effective cleaning results
4 kg
UX 6000 is a powerful multi-purpose cleaner designed to remove dirt from both the exterior and interior parts of vehicles. Follow the instructions and watch the explanation video on the official website before using it.
Application Surfaces
Seats, plastic parts, carpets, leather, upholstery, roofs, fabric, tires, and engine bays
Application Tips
Shake the bottle well before use. Dilute the product 1:20 with water. It can be applied using a shooting gun, spray bottle, or vacuum machine. After spraying, clean surfaces with a microfiber cloth and rinse thoroughly. Recommended for use before applying 3DP Interior Nano Layers Fabric.
Storage
Product can be stored for 2 years in an unopened bottle under proper conditions.
Keep tightly sealed and store between -2°C and +30°C
Warning
H318 - Causes serious eye damage.
Wear protective gear for eyes, face, and hands. If in eyes, rinse immediately with water and remove contact lenses if easy to do. Continue rinsing and call a Poison Centre or doctor. Dispose of contents according to local regulations
Expiry 2 years after manufacturing
UXP
Manufacturing Date (MM / YY)
Made in Türkiye

UX6000

أسطح الاستخدام

مقاعد المركبات، الأجزاء البلاستيكية، السجاد، الجلود، التنجيد، الأسقف، الأقمشة، الإطارات وحجرة المحرك.



التعبئة	500 جم
الكثافة	1.14 جم/سم^3 :23°م
الرقم الهيدروجيني	10 - 10.5


U-XP
UTILITY
DIAMOND
GLOSS
Trim and Tire Shine
Restores the original color of tires and trims, protecting them from dirt and dust.
• Long-lasting effect
• Satin finish
• No sling
4L
DIAMOND
Utility Diamond Gloss revitalizes trim and tires, preserving their original color and offering protection that reduces contamination. Be sure to read the instructions and watch the application video on the official website before use.
Application Surfaces
Trims and tires of vehicles.
Application Tips
Ensure the surface is clean and dry. Shake the bottle well before use. Apply with a sponge or spray directly onto trims and tires.
Storage
Can be stored for 2 years in an unopened bottle under proper conditions.
Keep the lid sealed tightly and store between -3°C and +35°C.
Warning
H304: May be fatal if swallowed. Keep out of reach of children and away from heat, sparks, and open flames. No smoking. If swallowed, contact a doctor or Poison Center immediately. Store securely and dispose of contents according to local regulations. Contains petroleum distillates.
Expiry: 2 years from manufacturing date.
U-XP
Manufacturing Date (MM / YY)
Made in Türkiye

UTILITY DIAMOND
GLOSS



أسطح الاستخدام

زخارف السـيارة والإطارات.

التعبئة	500 جم
الكثافة	1.17 جم/سم³ م: 23°
الرقم الهيدروجيني	12.5 - 13

UXP


UXP
UXP
SUPREME
SHINE
Trim and Plastic Restorer
Nourishing and protective
formula for interior plastics
• Restores original appearance
• Long-lasting shine
• Protects from sunlight and dust
4L
UXP Supreme Shine revitalizes interior plastics, giving them a shiny, original look while shielding them from sunlight and reducing the risk of cracking. It also helps to prevent dust buildup. Recommended to use after cleaning surfaces with U-XP LIX IOOO. Follow the instructions and watch the application video on the official website before use.
Application Surfaces
interior plastics of vehicles.
Application Tips
Ensure surfaces are clean, dry, and free of dust or stains. Apply by spraying or using a sponge until the surface shines.
Storage
Can be stored for 2 years in the original bottle. Keep tightly closed in a dry well-ventilated area, away from heat and ignition sources.
Keep out of reach of children. Dispose of contents according to local regulations.
Expiry: 2 years from manufacturing date.
UXP
Manufacturing Date (MM / YY)
Made in Turkiye

UXP

SUPREME SHINE

أسطح الاستخدام

الأجزاء البلاستيكية والمينيل والمطاطية الداخلية والخارجية مناسبة للاستخدام على الصدمات، المصابيح الأمامية، مقابض الأبواب، الشبكات الأمامية، الرفارف، حمايات المرايا الجانبية وأغطية الزجاج الأمامي.

العبوة	30 مل
المظهر	سائل عديم اللون
المقاومة الكيميائية	PH>1<12
مقاومة مياه البحر	✓
مقاومة الرطوبة	✓
صلابة بالقلم (ISO-15184:2012)	NA
سمك الطبقة الجافة	700-1000 نانومتر
الاستهلاك لكل وحدة مساحة	5-8 مل/م²
الكثافة عند 23°م	0.86 جم/سم³
الرقم الهيدروجيني	7
زمن الجفاف للمس	2 ساعة
درجة حرارة التطبيق	5- 30°C (50% RH)
مقاومة الحرارة	NA
زاوية تماس الماء	115° @10 ML
زاوية انزلاق الماء	20° @20 ML
زاوية تماس الزيت	34° @10 ML
نسبة اللمعان عند 60° (ISO-2813:2014)	80

UXP


UXP
UXP
INTERIOR
NANO LAYER
FABRIC
Car Fabric Protection with
New Car Scent
Shields fabric surfaces from water and
stains while providing easy cleaning
• Water repellent
• Resistant to chemicals and UV rays
• Stain-free protection
4L
UXP Interior Nano Layers Fabric adds hydrophobic and
oleophobic properties to fabric surfaces, protecting
against liquids and stains while keeping your car meeting
fresh. Follow the instructions and watch the application
video on the official website before use.
Application Surfaces
Upholstery, carpets, door panel covers, headliners, and
convertible roofs. Do not use on non-fabric surfaces like
interior trims, leather, glass, stone, or wood. If applied
incorrectly, wipe immediately with a dry microfiber cloth.
Application Tips
Ensure surfaces are clean and dry. Apply in a shaded,
well-ventilated area. Spray 80-100 ml, per 1 m² until the
surface is slightly damp. Allow 24 hours for drying and
curing. Test on a hidden area of the fabric to ensure
compatibility.
Storage
Product can be stored for 2 years in an unopened bottle.
Keep tightly closed in a dry, ventilated area away from
heat and ignition sources, at temperatures between -1°C
and +30°C. Use within 1 month after opening.
Warning
EUH-1 May be fatal if swallowed.
H319-Causes serious eye irritation.
Wash hands after use. Wear
protective gear for eyes, face, and hands. If in eyes, rinse
thoroughly with water. Remove contact lenses if easy to
do. If irritation persists, seek medical attention. Dispose of
contents according to local regulations.
Expiry: 2 years from manufacturing date.
UXP
Manufacturing Date (MM / YY)
Made in Turkiye
UXP

UXP INTERIOR NANO LAYER FABRIC



أسطح الاستخدام

التنجيد، السجاد، أغطية لوحات الأبواب، الأسقف الداخلية، وأسقف السيارات المكشوفة. لا يُستخدم على الأسطح غير القماشية مثل الجلد، الزخارف الداخلية، الزجاج، الحجر، والخشب. في حال الاستخدام الخاطئ، يجب مسح السطح بالكامل بقطعة قماش ميكروفايبر جافة.

الحجم	500 مل
أسطح الاستخدام	التنجيد، السجاد، أغطية لوحات الأبواب، الأسقف الداخلية، وأسقف السيارات المكشوفة
المقاومة الكيميائية	PH>1<11
مقاومة الماء	✓
مقاومة الزيت	✓
النفاذية	✓
سمك الطلاء	75-100 نانومتر
الاستهلاك لكل وحدة مساحة	80-100 مل/م²
مقاومة الحرارة	110°C
درجة حرارة التطبيق	5-30°C
فترة التصلب	24 ساعة
شروط التخزين	-3°C إلى +30°C
العمر الافتراضي	سنتان بدون فتح الزجاجة، شهر واحد بعد الفتح
الكمية / الطرد	12 قطعة


UXP
ايزوبروبيل الكحول 70%
ISOPROPYL ALCOHOL 70%
5 LITERS
ISOPROPYL ALCOHOL

ISOPROPYL ALCOHOL 70%

أسطح الاستخدام

كحول أيزوبروبيل 70٪ لأفلام الحماية من UXP

هـو محلول كحول أيزوبروبيل احترافي بتركيز 70٪، تم تطويره خصيصًا لاستخدامات تنظيف وتجهيز الأسطح قبل وبعد تركيب أفلام حماية الطلاء PPF.

يعمل المنتج على إزالة الزيوت، الشحوم، بقايا الشمع، والأتربة الدقيقة من سطح الطلاء، مما يضمن التصاقًا مثاليًا للفيلم وتحقيق تشطيب نهائي خالٍ من العيوب.

يُعد UXP ISOPROPYL ALCOHOL 70٪ عنصرًا أساسيًا في مراحل التحضير النهائية قبل التركيب، وكذلك في مرحلة الفحص بعد التركيب لإزالة أي آثار جل أو محلول تركيب، دون التأثير على الطلاء، اللاكر، أو خصائص المعالجة الذاتية لأفلام الحماية.

تمت موازنة التركيبة بعناية لتكون آمنة، سريعة التبخر، ولا تترك أي بقايا، مما يجعلها الخيار الأمثل لمراكز العناية الاحترافية التي تعتمد معايير عالية للجودة.

العلامة التجارية	UXP
اسم المنتج	UXP IPA 70٪
النوع الكيميائي	كحول إيزوبروبيلي (IPA) 70٪
التركيز	70٪
المظهر	سائل شفاف عديم اللون
الرائحة	رائحة كحول خفيفة
معدل التبخر	سريع
البقايا بعد الجفاف	لا يوجد
الاستخدام الرئيسي	تنظيف الأسطح وتحضيرها لتركيب PPF
التوافق مع المواد الأخرى	آمن لطلاء السيارات والطبقة الشفافة
التوافق مع PPF	متوافق تمامًا مع أفلام TPU وPPF
التأثير على المادة اللاصقة	يعزز الالتصاق عند الاستخدام الصحيح
طريقة التطبيق	رش ومسح (بقماش ميكروفايبر)
درجة حرارة التشغيل	ظروف الورشة
القابلية للاشتعال	قابل للاشتعال - يُستخدم بحذر
شروط التخزين	يُحفظ مغلقًا، بعيدًا عن الحرارة والنيران
خيارات التعبئة	جالون

UXP



UXP

INSTALLATION GEL

PPF

أسطح الاستخدام

UXP PPF INSTALLATION GEL هو جل احترافي عالي الأداء تم تطويره خصيصًا لتسهيل وتركيب أفلام حماية الطلاء (PPF) بكفاءة ودقة عالية.
يساعد الجل على تحسين انزلاق الفيلم أثناء التركيب، مما يسمح بضبط الوضعية بدقة مثالية وتقليل احتمالية ظهور التجاعيد، الفقاعات الهوائية، أو علامات الشد.
يتميز جل UXP بتركيبة متوازنة لا تؤثر على خصائص اللاصق، حيث يضمن التصاقًا مثاليًا بعد الجفاف مع تبخر تدريجي ومنتظم، دون ترك أي بقايا أو تأثير على شفافية الفيلم أو المعالجة الذاتية (SELF-HEALING).
تم تصميم الجل ليكون آمنًا على الطلاء، PPF، والسطوح الحساسة، مما يجعله الخيار المثالي لمراكز التركيب الاحترافية التي تبحث عن نتائج دقيقة وتشطيب مثالي بمعايير عالمية.

العلامة التجارية	UXP
اسم المنتج	UXP PPF INSTALLATION GEL
النوع الكيميائي	جل تركيب احترافي لأفلام حماية الطلاء (PPF)
الاستخدام / التطبيق	تركيب أفلام حماية الطلاء (PPF)
المظهر	جل شفاف / عديم اللون
القوام	لزوجة متوسطة لانزلاق متحكم وسلس
البقايا بعد الجفاف	لا يوجد
معدل التبخر	متحكم ومتجانس
التأثير على المادة اللاصقة	لا تأثير سلبي
التوافق مع المواد الأخرى	مناسب لجميع أفلام TPU وPPF
السلامة على السطح	آمن على طلاء السيارات والطبقة الشفافة
التوافق مع خاصية الشفاء الذاتي	متوافق بالكامل
سهولة الاستخدام	بدرجة احترافية
طريقة التطبيق	رش أو تطبيق مباشر
درجة حرارة التشغيل	مناسب لظروف الورشة
ثباتية التخزين	عمر تخزيني طويل عند الإغلاق
خيارات التعبئة	جالون

UXP

عملائنا

نفخر بثقة مجموعة كبيرة من وكالات السيارات العالمية بتقديم خدماتنا للعازل الحراري وأفلام حماية الطلاء وغيرها من خدمات العناية بالسيارات.



الشركات

كاتريو SGS SAL السعودية Saudia

UXP

Our customers

We taKe pride in the trust of a large networK of global car dealerships, offering our services in window thermal insulation, paint protection films, and other car care solutions.



Companies

كاتريو SGS SAL السعودية Saudia

UXP

INSTALLATION GEL

PPF

SURFACES OF US

UXP PPF INSTALLATION GEL IS A HIGH-PERFORMANCE PROFESSIONAL GEL SPECIALLY DEVELOPED TO FACILITATE THE EFFICIENT AND PRECISE INSTALLATION OF PAINT PROTECTION FILMS (PPF).

THE GEL ENHANCES FILM GLIDE DURING INSTALLATION, ALLOWING FOR PERFECT POSITIONING WHILE REDUCING THE LIKELIHOOD OF WRINKLES, AIR BUBBLES, OR STRETCHING MARKS. UXP INSTALLATION GEL FEATURES A BALANCED FORMULA THAT DOES NOT AFFECT THE ADHESIVE PROPERTIES, ENSURING OPTIMAL ADHESION AFTER DRYING, WITH GRADUAL AND EVEN EVAPORATION, LEAVING NO RESIDUE AND PRESERVING THE FILM'S TRANSPARENCY AND SELF-HEALING PROPERTIES.

THE GEL IS SAFE FOR PAINT, PPF, AND SENSITIVE SURFACES, MAKING IT THE IDEAL CHOICE FOR PROFESSIONAL INSTALLATION CENTERS SEEKING PRECISE RESULTS AND FLAWLESS FINISHING ACCORDING TO GLOBAL STANDARDS.

BRAND	UXP
PRODUCT NAME	UXP PPF INSTALLATION GEL
CHEMICAL TYPE	PROFESSIONAL INSTALLATION GEL
APPLICATION	PAINT PROTECTION FILM (PPF) INSTALLATION
APPEARANCE	CLEAR / TRANSPARENT GEL
CONSISTENCY	MEDIUM VISCOSITY FOR CONTROLLED GLIDE
RESIDUE AFTER DRYING	NONE
EVAPORATION RATE	CONTROLLED & UNIFORM
EFFECT ON ADHESIVE	NO NEGATIVE IMPACT
COMPATIBILITY	SUITABLE FOR ALL TPU & PPF FILMS
SURFACE SAFETY	SAFE ON AUTOMOTIVE PAINT & CLEAR COAT
SELF-HEALING COMPATIBILITY	FULLY COMPATIBLE
EASE OF USE	PROFESSIONAL-GRADE
APPLICATION METHOD	SPRAY OR DIRECT APPLICATION
OPERATING TEMPERATURE	SUITABLE FOR WORKSHOP CONDITIONS
STORAGE STABILITY	LONG SHELF LIFE WHEN SEALED
PACKAGING OPTIONS	GALLON



UXP

ISOPROPYL ALCOHOL 70%

SURFACES OF US

UXP IPA 70% IS A PROFESSIONAL ISOPROPANOL ALCOHOL SOLUTION WITH A 70% CONCENTRATION, SPECIALLY DEVELOPED FOR CLEANING AND PREPARING SURFACES BEFORE AND AFTER PAINT PROTECTION FILM (PPF) INSTALLATION.

THE PRODUCT REMOVES OILS, GREASES, WAX RESIDUES, AND FINE DUST FROM THE PAINT SURFACE, ENSURING PERFECT FILM ADHESION AND A FLAWLESS FINAL FINISH. UXP IPA 70% IS AN ESSENTIAL COMPONENT DURING THE FINAL PREPARATION STAGES BEFORE INSTALLATION, AS WELL AS DURING POST-INSTALLATION INSPECTION TO REMOVE ANY GEL OR INSTALLATION SOLUTION RESIDUES, WITHOUT AFFECTING THE PAINT, LACQUER, OR THE SELF-HEALING PROPERTIES OF PROTECTION FILMS.

THE FORMULA IS CAREFULLY BALANCED TO BE SAFE, FAST-EVAPORATING, AND RESIDUE-FREE, MAKING IT THE IDEAL CHOICE FOR PROFESSIONAL CAR CARE CENTERS THAT ADHERE TO THE HIGHEST QUALITY STANDARDS.

BRAND	UXP
PRODUCT NAME	UXP IPA 70%
CHEMICAL TYPE	ISOPROPYL ALCOHOL (IPA)
CONCENTRATION	70%
APPEARANCE	CLEAR, COLORLESS LIQUID
ODOR	MILD ALCOHOL SCENT
EVAPORATION RATE	FAST
RESIDUE AFTER DRYING	NONE
PRIMARY USE	SURFACE CLEANING & PREPARATION FOR PPF
COMPATIBILITY	SAFE FOR AUTOMOTIVE PAINT & CLEAR COAT
PPF COMPATIBILITY	FULLY COMPATIBLE WITH TPU & PPF FILMS
EFFECT ON ADHESIVE	ENHANCES ADHESION WHEN USED CORRECTLY
APPLICATION METHOD	SPRAY & WIPE (MICROFIBER CLOTH)
OPERATING TEMPERATURE	WORKSHOP CONDITIONS
FLAMMABILITY	FLAMMABLE – HANDLE WITH CARE
STORAGE	STORE SEALED, AWAY FROM HEAT & FLAMES
PACKAGING OPTIONS	GALLON

UXP


UXP
ايزوبروبيل الكحول 70%
ISOPROPYL ALCOHOL 70%
5 LITERS
ISOPROPYL ALCOHOL

UXP

UXP INTERIOR NANO LAYER FABRIC

SURFACES OF US

UPHOLSTERY, CARPETS, DOOR PANEL COVERS, HEADLINERS, AND CONVERTIBLE TOPS.
DO NOT USE ON NON-FABRIC SURFACES SUCH AS LEATHER, INTERIOR TRIMS, GLASS, STONE, OR WOOD.
IN CASE OF INCORRECT APPLICATION, WIPE THE ENTIRE SURFACE WITH A DRY MICROFIBER CLOTH.

VOLUME	500ML
APPLICATION SURFACES	UPHOLSTERIES, CARPETS, DOOR PANEL COVERS, HEADLINERS AND CONVERTIBLE ROOFS OF VEHICLES.
CHEMICAL RESISTANCE	11>PH>1
WATER REPELLENCY	✓
OIL REPELLENCY	✓
BREATHABILITY	✓
COATING THICKNESS	75-100NM
CONSUMPTION PER UNIT AREA	80-100ML/M²
TEMPERATURE DURABILITY	110°C
APPLICATION TEMPERATURE	5°C-30°C
CURING PERIOD	24 HOURS
STORAGE CONDITIONS	-3°C TO +30°C
SHELF LIFE	2 YEARS WITHOUT OPENING THE BOTTLE, 1 MONTH AFTER OPENING THE BOTTLE
QUANTITY/PARCEL	12 PIECES

UXP


UXP
UXP
INTERIOR
NANO LAYER
FABRIC
Car Fabric Protection with
New Car Scent
Shields fabric surfaces from water and
stains while providing easy cleaning
• Water repellent
• Resistant to chemicals and UV rays
• Stain-free protection
4L
INTERIOR
UXP Interior Nano Layers fabric adds hydrophobic and oleophobic properties to fabric surfaces, protecting against liquids and stains while keeping your car smelling fresh. Follow the instructions and watch the application video on the official website before use.
Application Surfaces
Upholstery, carpets, door panel covers, headliners, and convertible roofs. Do not use on non-fabric surfaces like interior trims, leather, glass, stone, or wood. If applied incorrectly, wipe immediately with a dry microfiber cloth.
Application Tips
Ensure surfaces are clean and dry. Apply in a shaded, well-ventilated area. Spray 80–100 mL per 1 m² until the surface is slightly damp. Allow 24 hours for drying and curing. Test on a hidden area of the fabric to ensure compatibility.
Storage
Product can be stored for 2 years in an unopened bottle. Keep (store) product in a dry, ventilated area, away from heat and ignition sources, at temperatures between +5°C and +30°C. Use within 6 month after opening.
Warning
H304 May be fatal if swallowed
H319 Causes serious eye irritation.
Wash hands after use. Wear protective gear for eyes, face, and hands. If in eyes, rinse thoroughly with water. Remove contact lenses if easy to do. If irritation persists, seek medical attention. Dispose of contents according to local regulations.
Expiry: 2 years from manufacturing date
UXP
Manufacturing Date (MM / YY)
Made in TURKIYE

UXP

SUPREME SHINE

SURFACES OF US

INTERIOR AND EXTERIOR PLASTIC, VINYL, AND RUBBER PARTS - SUITABLE FOR USE ON BUMPERS, HEADLIGHTS, DOOR HANDLES, FRONT GRILLES, FENDERS, SIDE MIRROR GUARDS, AND WINDSHIELD COVERS.

PACKAGING	30ML
APPEARANCE	COLORLESS LIQUID
CHEMICAL RESISTANCE	12>PH>1
SALT WATER RESISTANCE	✓
MOISTURE RESISTANCE	✓
PENCIL HARDNESS (ISO-15184:2012)	NA
DRY FILM THICKNESS	700-1000 NM
CONSUMPTION PER UNIT AREA	5-8 ML/M2
DENSITY @23°C	0.86 G/CM3
PH VALUE	7
DRY TO TOUCH TIME	2H
APPLICATION TEMPERATURE	5°C-30°C (50%RH)
TEMPERATURE DURABILITY	NA
WATER CONTACT ANGLE	115° @10 ML
WATER SLIDING ANGLE	20° @20 ML
OIL CONTACT ANGLE	34° @10 ML
GLOSS RATE @60° (ISO-2813:2014)	80

UXP


UXP
UXP
SUPREME
SHINE
Trim and Plastic Restorer
Nourishing and protective
formula for interior plastics
• Restores original appearance
• Long-lasting shine
• Protects from sunlight and dust
4L
SUPREME
UXP Supreme Shine revitalizes interior plastics, giving them a shiny, original look while shielding them from sunlight and reducing the risk of cracking. It also helps to prevent dust buildup. Recommended to use after cleaning surfaces with U-KP LIX 61000. Follow the instructions and watch the application video on the official website before use.
Application Surfaces
interior plastics of vehicles.
Application Tips
Ensure surfaces are clean, dry, and free of dust or stains. Apply by spraying or using a sponge until the surface shines.
Storage
Can be stored for 2 years in the original bottle. Keep tightly closed in a dry, well-ventilated area, away from heat and ignition sources
Keep out of reach of children. Dispose of contents according to local regulations.
Expiry: 2 years from manufacturing date
UXP
Manufacturing Date (MM / YY)
Made in Türkiye

UXP

UTILITY DIAMOND

GLOSS



SURFACES OF US

CAR TRIMS AND WHEELS.

PACKAGING	500 G
DENSITY @23°C	1.17 G/CM3
PH	12.5-13

U-XP


U-XP
UTILITY
DIAMOND
GLOSS
Trim and Tire Shine
Restores the original color of tires and trims, protecting them from dirt and dust.
• Long-lasting effect
• Satin finish
• No sling
4L
DIAMOND
Utility Diamond Gloss revitalizes trim and tires, preserving their original color and offering protection that reduces contamination. Be sure to read the instructions and watch the application video on the official website before use.
Application Surfaces
Trims and tires of vehicles.
Application Tips
Ensure the surface is clean and dry. Shake the bottle well before use. Apply with a sponge or spray directly onto trims and tires.
Storage
Can be stored for 2 years in an unopened bottle under proper conditions.
Keep the lid sealed tightly and store between -3°C and +30°C.
Warning
H304 May be fatal if swallowed. Keep out of reach of children and away from heat sparks and open flames. No smoking if swallowed, contact a doctor or Poison Center immediately. Store securely and dispose of contents according to local regulations. Contains petroleum distillates.
Expiry: 2 years from manufacturing date.
U-XP
Manufacturing Date (MM / YY)
Made in Türkiye

U-XP

UX6000

SURFACES OF US

VEHICLE SEATS, PLASTIC PARTS, CARPETS, LEATHER, UPHOLSTERY, HEADLINERS, FABRICS, TIRES, AND THE ENGINE COMPARTMENT.

PACKAGING	500 G
DENSITY @23°C	1.14 G/CM3
PH	10-10.5




UX 6000
UX
6000
All Purpose Cleaner
Versatile solution for easy decontamination of all surface types
• Concentrated formula
• Easy to use
• Effective cleaning results
4 kg
UX 6000 is a powerful multi-purpose cleaner designed to remove dirt from both the exterior and interior parts of vehicles. Follow the instructions and watch the application video on the official website before using it.
Application Surfaces
Seats, plastic parts, carpets, leather, upholstery, roofs, fabric, tires, and engine bays
Application Tips
Shake the bottle well before use. Dilute the product 1:20 with water. It can be applied using a foaming gun, spray bottle, or vacuum machine. After spraying, clean surfaces with a microfiber cloth and rinse thoroughly. Recommended for use before applying 2K Interior Nano Layers Fabric.
Storage
Product can be stored for 2 years in an unopened bottle under proper conditions.
Keep tightly sealed and store between -5°C and +35°C.
Warning
H318: Causes serious eye damage.
Wear protective gear for eyes, face, and hands. If in eyes, rinse immediately with water and remove contact lenses if easy to do. Continue rinsing and call a Poison Center or doctor. Dispose of contents according to local regulations.
Expiry: 2 years after manufacturing
Manufacturing Date (MM / YY)
Made in Türkiye

UXP SHAMPOO WAX

SURFACES OF US

SHAKE THE BOTTLE WELL BEFORE USE. USE AWAY FROM DIRECT SUNLIGHT AND ON COOL SURFACES

PACKAGING	500 G
DENSITY @23°C	1.17 G/CM3
PH	12.5-13


UXP
UXP
SHAMPOO
WAX
Foam Car Wash Shampoo
Professional shampoo for removing dirt and grime with a coating-safe formula
• Concentrated formula
• Safe for nano coatings
• Easy to rinse
4 kg
SHAMPOO
UXP Shampoo Wax is a high-foam, citrus-scented car wash shampoo designed to safely clean and protect surfaces. Its concentrated formula helps loosen dirt and grime while minimizing surface abrasion, making it ideal for use alongside UXP Nano Coatings.
Application Surfaces
Suitable for all exterior vehicle surfaces like paintwork, plastic trims, tires, and rims. Not for interior or engine use.
Application
Machine: Shake well before use. Dilute 1:1 for foam lance or 1:65 for water tank. Apply a thick foam layer and let it dwell for 1-2 minutes. Rinse thoroughly with a high-pressure washer. Dry with a soft, lint-free towel.
Bucket: Rinse the vehicle first. Mix 30 mL (1 cup) of UXP Shampoo Wax with 10 L of warm water. Apply using a wash mitt, working from top to bottom in straight lines. For stubborn grime soak. Rinse well with a hose or pressure washer and dry with a soft, lint-free towel to avoid water spots.
Storage
Store in a tightly closed container in a dry, well-ventilated place, away from heat and ignition sources. Keep between 1°C and +30°C. The product is good for 2 years when unopened and stored properly.
Warning
H315: Causes skin irritation
H318: Causes serious eye damage
Wear protective clothing (gloves), and eye protection. If in eyes, rinse thoroughly with water and call a Poison Centre/doctor immediately. For skin irritation, seek medical advice. Dispose of contents according to local regulations.
Expiry: 2 years after manufacturing
UXP
Manufacturing Date (MM / YY)
Made in Türkiye

UXP

PLATINUM 9H

SURFACES OF US

PLATINUM 9H NANO CERAMIC COATING CAN BE APPLIED TO CAR PAINT, COMMERCIAL VEHICLES, HEADLIGHTS AND TAILLIGHTS, WHEELS, BLACK PLASTIC SURFACES, AND TRIM WIRES.

DO NOT APPLY THIS PRODUCT ON UNPAINTED PLASTIC PARTS, NEWLY PAINTED SURFACES (WITHIN 3 MONTHS), LOW-QUALITY PAINT, GLASS, FABRICS, TIRES, OR ANY ABSORBENT MATERIALS.



VOLUME	100 ML
APPLICATION SURFACES	VEHICLES' PAINT WORK, HEADLIGHTS, TAILLIGHTS, RIMS AND CHROME PARTS
CHEMICAL RESISTANCE	12>PH>1
SCRATCH RESISTANCE	✓
WATER REPELLENCY	✓
OIL REPELLENCY	✓
DRY FILM THICKNESS	1 LAYER: 200-300 NM 2 LAYERS: 300-400 NM
CONSUMPTION PER UNIT AREA	2-3 ML/M²
TEMPERATURE DURABILITY	275°C
APPLICATION TEMPERATURE	+5°C TO +30°C
SHELF LIFE	2 YEARS WITHOUT OPENING THE BOTTLE, 1 MONTH AFTER OPENING THE BOTTLE
APPEARENCE	COLORLESS LIQUID

UXP


U-XP
PLATINUM
9H
Nano Ceramic
Car Paint Protection
U-XP
PLATINUM
9H
Nano Ceramic
Car Paint Protection
50ml
PLATINUM
U-XP

DIAMOND 10H

SURFACES OF US

10H NANO CERAMIC COATING CAN BE APPLIED TO CAR PAINT, COMMERCIAL VEHICLES, HEADLIGHTS AND TAILLIGHTS, WHEELS, BLACK PLASTIC SURFACES, AND TRIM WIRES.

DO NOT APPLY THIS PRODUCT ON UNPAINTED PLASTIC PARTS, NEWLY PAINTED SURFACES (WITHIN 3 MONTHS), LOW-QUALITY PAINT, GLASS, FABRICS, TIRES, OR ANY ABSORBENT MATERIALS.

VOLUME	50 ML
APPLICATION SURFACES	VEHICLE BODY PAINT, HARD PLASTIC PARTS, HEADLIGHTS, TAILLIGHTS, AND RIMS
CHEMICAL RESISTANCE	12>PH>1
SCRATCH RESISTANCE	✓
WATER REPELLENCY	✓
OIL REPELLENCY	✓
REACH COMPLIANCE	✓
DRY FILM THICKNESS	700-800 NM
CONSUMPTION PER UNIT AREA	4-5 ML/M²
TEMPERATURE DURABILITY	150°C
APPLICATION TEMPERATURE	+5°C TO +30°C
PENCIL HARDNESS	10H
STORAGE CONDITIONS	-3°C TO +30 °C
SHELF LIFE	2YEARS WITHOUT OPENING THE BOTTLE, 1 WEEK AFTER OPENING
BOX INCLUDES	10 PIECES

UXP


U-XP
DIAMOND
10H
Nano Ceramic
Car Paint Protection
U-XP
DIAMOND
10H
Nano Ceramic
Car Paint Protection
50 ml
U-XP

UX SUPREME NANO

SURFACES OF US

UX SUPREME NANO CERAMIC COATING CAN BE APPLIED TO CAR PAINT, TRANSPORT VEHICLES, HEADLIGHTS AND TAILLIGHTS, WHEELS, BLACK PLASTIC SURFACES, AND TRIM WIRES.

DO NOT APPLY THIS PRODUCT ON UNPAINTED PLASTIC PARTS, NEWLY PAINTED SURFACES (WITHIN 3 MONTHS), LOW-QUALITY PAINT, GLASS, FABRICS, TIRES, OR ANY ABSORBENT MATERIALS.

VOLUME	50 ML
APPLICATION SURFACES	PAINT WORK OF CARS AND TRANSPORT VEHICLES, HEADLIGHTS, TAILLIGHTS, RIMS, BLACK PLASTIC AND TRIM SURFACES
CHEMICAL RESISTANCE	12>PH>1
SCRATCH RESISTANCE	✓
WATER REPELLENCY	✓
OIL REPELLENCY	✓
DRY FILM THICKNESS	400-500 NM
CONSUMPTION PER UNIT AREA	5-8ML/M²
TEMPERATURE DURABILITY	275°C
APPLICATION TEMPERATURE	+5°C TO +30°C
CURING PERIOD	4 HOURS TO TOUCH, 24 HOURS FOR WATER CONTACT
STORAGE CONDITIONS	+5°C TO +30°C
SHELF LIFE	2 YEARS WHEN UNOPENED, 1 WEEK AFTER OPENING
BOX INCLUDES	BOX INCLUDES


U-XP
UX
SUPREME
NANO
Nano Ceramic Coating
U-XP
UX
SUPREME
NANO
Nano Ceramic Coating
50 ml
U-XP

FINE CUT COMPOUND

U-03

SURFACES OF US

UXP U-03 IS A HIGH-TECH FINE POLISHING COMPOUND DESIGNED AND OPTIMIZED TO ACHIEVE A HIGH LEVEL OF SHINE. IT CAN BE USED ON BOTH NEW AND OLD PAINT SURFACES.

PACKAGING	0.25/0.5/1 KG
APPLICATION TEMPERATURE	5°C-30°C
SANDING LEVEL	P2500
CUTTING LEVEL	FINE
GLOSS RATE	70%

UXP


U-XP
U-03
Fine Cut Compound
Removes fine scratches
and swirls from car paint
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-XP

MEDIUM CUT COMPOUND

U-02

SURFACES OF US

MEDIUM SCRATCH REMOVAL - PREPARES THE VEHICLE'S SURFACE FOR CERAMIC COATING APPLICATION. UXPU-02 IS DESIGNED TO BLEND AND EFFICIENTLY ELIMINATE SCRATCHES. IT IS ALSO IDEAL FOR FINISHING WORK ON RESISTANT TOPCOAT LAYERS AND WAXED SURFACES.

PACKAGING	0.25/0.5/1 KG
APPLICATION TEMPERATURE	5°C-30°C
SANDING LEVEL	P1500
CUTTING LEVEL	MEDIUM
GLOSS RATE	60%

UXP


U-XP
U-02
Medium Cut Compound
Removes medium scratches and swirls from car paint.
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-02
U-XP
U-XP

HEAVY CUT COMPOUND

U-01

SURFACES OF US

HEAVY SCRATCH REMOVAL - PREPARES THE VEHICLE'S SURFACE FOR CERAMIC COATING APPLICATION. UXP U-01 IS A POWERFUL DEFECT-REMOVAL COMPOUND DESIGNED TO CORRECT DAMAGED PAINT. IT IS ALSO THE IDEAL CHOICE FOR FINISHING WORK ON RESISTANT TOPCOAT LAYERS.

PACKAGING	0.25/0.5/1 KG
APPLICATION TEMPERATURE	5°C-30°C
SANDING LEVEL	P1200
CUTTING LEVEL	HEAVY
GLOSS RATE	50%

UXP


U-XP
U-01
Heavy Cut Compound
Removes heavy scratches and swirls from car paint.
• Easy to use with fast results
• Less polish residue
• Silicone-free
1kg
U-01
U-XP
U-XP

SUN ROOF

UXP provides advanced protection solutions for vehicle headlights, including high-performance headlight protection films engineered to resist scratches, yellowing, and harsh environmental conditions, while maintaining crystal-clear visibility and long-lasting durability.





UXP

HEAD LIGHT

UXP PROVIDES ADVANCED PROTECTION SOLUTIONS FOR VEHICLE SUNROOFS, INCLUDING HIGH-PERFORMANCE PROTECTION AND THERMAL INSULATION FILMS ENGINEERED TO REDUCE HEAT, RESIST SCRATCHES, AND WITHSTAND HARSH ENVIRONMENTAL CONDITIONS, WHILE MAINTAINING CLEAR VISIBILITY AND LONG-LASTING DURABILITY.



UXP


U-XP
HEADLIGHT
U-XP
HEADLIGHT
U-XP

WINDOW SHIELD
TPU

SURFACES OF US

UXP WINDOW SHIELD TPU IS AN ADVANCED SECURITY FILM MADE FROM HIGHLY FLEXIBLE TPU MATERIAL, SPECIFICALLY DESIGNED TO PROTECT VEHICLE WINDSHIELDS FROM BREAKAGE, CRACKS, AND SHATTERING CAUSED BY ACCIDENTS OR EXTERNAL IMPACTS.

THE FILM UTILIZES MULTI-LAYER TECHNOLOGY THAT REINFORCES THE GLASS AND MAINTAINS ITS STRUCTURAL INTEGRITY UPON IMPACT, SIGNIFICANTLY REDUCING GLASS FRAGMENTATION AND ENHANCING THE OVERALL SAFETY OF THE DRIVER AND PASSENGERS.

BRAND	UXP
PRODUCT NAME	WINDOW SHIELD TPU
FILM TYPE	TPU SECURITY FILM
APPLICATION	AUTOMOTIVE FRONT WINDSHIELD
MATERIAL	HIGH-GRADE TPU (THERMOPLASTIC POLYURETHANE)
FILM THICKNESS	150 – 200 MICRONS
VISIBLE LIGHT TRANSMISSION (VLT)	≥ 97%
UV REJECTION	≥ 99%
SHATTER RESISTANCE	HIGH – HOLDS GLASS TOGETHER UPON BREAKAGE
SELF-HEALING	YES – HEAT-ACTIVATED SELF-REPAIR
SURFACE COATING	SCRATCH-RESISTANT WITH ELASTIC RECOVERY
COLOR OPTIONS	CRYSTAL CLEAR
ADHESIVE TYPE	ADVANCED OPTICAL CLEAR ADHESIVE
INSTALLATION SIDE	INNER SIDE OF WINDSHIELD
DURABILITY	LONG-TERM PERFORMANCE
WARRANTY	4 YEARS
OPERATING TEMPERATURE	STABLE UNDER EXTREME HEAT & COLD
COMPATIBILITY	SAFE FOR SENSORS & ADAS SYSTEMS

UXP



UXP

SECURITY

SURFACES OF US

UXP SECURITY FILM IS A HIGH-QUALITY TRANSPARENT PROTECTION FILM DESIGNED SPECIFICALLY FOR THE WINDSHIELD. IT PROVIDES AN ADDITIONAL LAYER OF SAFETY AGAINST SHATTERING AND GLASS FRAGMENTATION, ENHANCES GLASS INTEGRITY UPON IMPACT WITHOUT AFFECTING VISIBILITY OR DRIVING CLARITY, AND DELIVERS RELIABLE DAILY PROTECTION WITH GREATER CONFIDENCE ON THE ROAD, MEETING PROFESSIONAL STANDARDS.

BRAND	UXP
PRODUCT NAME	UXP SECURITY FILM
APPLICATION	AUTOMOTIVE FRONT WINDSHIELD
FILM THICKNESS	100 – 200 MICRONS
VISIBLE LIGHT TRANSMISSION (VLT)	≥ 99%
UV REJECTION	≥ 99%
SHATTER RESISTANCE	HIGH – GLASS BONDING UPON BREAKAGE
SURFACE COATING	SCRATCH-RESISTANT HARD COATING
COLOR OPTIONS	CLEAR / LIGHT TINT (OPTIONAL)
ADHESIVE TYPE	HIGH-STRENGTH AUTOMOTIVE ADHESIVE
INSTALLATION SIDE	INNER SIDE OF THE WINDSHIELD
OPERATING CONDITIONS	STABLE UNDER HIGH HEAT & LOW TEMPERATURES
MAIN PURPOSE	SAFETY, SECURITY & GLASS PROTECTION

UXP


UXP
SECURITY
SHIELD
UXP
UXP
UXP

PREMIUM BUILDING TINT
NANO TECHNOLOGY

SURFACES OF US

UXP BUILDING INSULATION FILM IS AN ADVANCED THERMAL INSULATION FILM DESIGNED FOR RESIDENTIAL AND COMMERCIAL BUILDING FACADES AND GLASS SURFACES. IT IS ENGINEERED TO REDUCE HEAT TRANSFER AND BLOCK HARMFUL SOLAR RADIATION, HELPING TO IMPROVE ENERGY EFFICIENCY AND ENHANCE INDOOR COMFORT LEVELS.

BRAND	UXP
PRODUCT NAME	UXP BUILDING INSULATION FILM
FILM TYPE	ARCHITECTURAL THERMAL INSULATION FILM
APPLICATION	RESIDENTIAL & COMMERCIAL GLASS
MATERIAL	MULTI-LAYER POLYESTER FILM
VISIBLE LIGHT TRANSMISSION (VLT)	20% – 70% (VARIES BY MODEL)
INFRARED REJECTION (IR)	UP TO 98%
UV REJECTION	≥ 99%
SOLAR HEAT REDUCTION	HIGH
GLARE REDUCTION	YES
ENERGY EFFICIENCY	REDUCES COOLING LOAD & ENERGY CONSUMPTION
APPEARANCE OPTIONS	CLEAR / LIGHT TINT / REFLECTIVE
ADHESIVE TYPE	HIGH-PERFORMANCE ARCHITECTURAL ADHESIVE
INSTALLATION SIDE	INTERIOR GLASS SURFACE
COMPATIBILITY	SUITABLE FOR MOST ARCHITECTURAL GLASS TYPES
DURABILITY	LONG-TERM PERFORMANCE
OPERATING TEMPERATURE	STABLE IN EXTREME CLIMATES
MAINTENANCE	EASY TO CLEAN & MAINTAIN
WARRANTY	UP TO 10 YEARS*

UXP



U-XP

WINDOW FILM
PRO

VLT	IRR	UVR	TSER
70%	95.0%	99.00%	52%
VLT	IRR	UVR	TSER
50%	96.0%	99.00%	59%
VLT	IRR	UVR	TSER
35%	94.0%	99.00%	65%
VLT	IRR	UVR	TSER
20%	95.0%	99.00%	68%

UXP



U-XP

WINDOW FILM
XP

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	63%
VLT	IRR	UVR	TSER
50%	99.0%	99.99%	74%
VLT	IRR	UVR	TSER
35%	99.0%	99.99%	85%
VLT	IRR	UVR	TSER
20%	99.0%	99.99%	89%

U-XP


U-XP
WINDOW FILM
USA QUALITY
CERAMIC TINT
HIGH PERFORMANCE
10
U-XP

WINDOW FILM

IR

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	60%

VLT	IRR	UVR	TSER
50%	99.0%	99.99%	69%

VLT	IRR	UVR	TSER
35%	99.0%	99.99%	79%

VLT	IRR	UVR	TSER
20%	99.0%	99.99%	86%

UXP



U-XP

WINDOW FILM

UN

VLT	IRR	UVR	TSER
70%	99.0%	99.99%	61%
VLT	IRR	UVR	TSER
50%	99.0%	99.99%	70%
VLT	IRR	UVR	TSER
35%	99.0%	99.99%	80%
VLT	IRR	UVR	TSER
20%	99.0%	99.99%	88%

UXP



U-XP

COLOR PPF

SURFACES OF US

UXP COLORED PAINT PROTECTION FILM (PPF) IS A PREMIUM COLORED PAINT PROTECTION FILM MADE FROM HIGH-QUALITY TPU MATERIAL, COMBINING ADVANCED PROTECTION WITH A MODERN, AESTHETIC APPEARANCE IN ONE COMPLETE SOLUTION.

THE FILM PROVIDES COMPREHENSIVE PROTECTION FOR THE VEHICLE'S PAINT AGAINST SCRATCHES, STONE CHIPS, WEATHER ELEMENTS, AND UV RAYS, WHILE ALLOWING YOU TO CHANGE OR ENHANCE THE VEHICLE'S COLOR WITHOUT PERMANENT PAINT APPLICATION.

BRAND	UXP
PRODUCT NAME	UXP COLORED PPF
FILM TYPE	COLORED PAINT PROTECTION FILM
MATERIAL	PREMIUM TPU (THERMOPLASTIC POLYURETHANE)
FILM THICKNESS	180 – 220 MICRONS
SURFACE FINISH	GLOSS / MATTE / SATIN / METALLIC
SELF-HEALING	YES – HEAT-ACTIVATED
UV RESISTANCE	EXCELLENT – COLOR FADE PROTECTION
SCRATCH RESISTANCE	HIGH
IMPACT RESISTANCE	PROTECTS AGAINST STONE CHIPS & ROAD DEBRIS
HYDROPHOBIC COATING	YES – WATER & DIRT REPELLENT
CHEMICAL RESISTANCE	RESISTANT TO OILS, ACIDS & CONTAMINANTS
COLOR STABILITY	HIGH – LONG-LASTING COLOR DEPTH
ADHESIVE TYPE	ADVANCED PRESSURE-SENSITIVE ADHESIVE
REMOVABILITY	SAFE REMOVAL WITHOUT PAINT DAMAGE
OPERATING TEMPERATURE	STABLE IN EXTREME HOT & COLD CLIMATES
APPLICATION AREAS	FULL BODY / PARTIAL BODY PANELS
WARRANTY	UP TO 5 YEARS

UXP



UXP

PAINT PROTECTION FILM

PPF MATTE

SURFACES OF US

UXP MATTE PAINT PROTECTION FILM (PPF) IS A PREMIUM MATTE PAINT PROTECTION FILM MADE FROM HIGH-QUALITY TPU MATERIAL, SPECIALLY DESIGNED TO PRESERVE THE VEHICLE'S ORIGINAL PAINT WHILE GIVING IT A SLEEK, MODERN, AND ELEGANT MATTE FINISH.

THE FILM PROVIDES ADVANCED PROTECTION AGAINST SCRATCHES, STONE CHIPS, ABRASION, AND HARSH ENVIRONMENTAL CONDITIONS, WHILE MAINTAINING A CONSISTENT MATTE TEXTURE WITH NO GLOSS OR COLOR CHANGE OVER TIME.



BRAND	UXP
PRODUCT NAME	UXP MATTE PPF
FILM TYPE	MATTE PAINT PROTECTION FILM
MATERIAL	PREMIUM TPU (THERMOPLASTIC POLYURETHANE)
FILM THICKNESS	180 – 220 MICRONS
SURFACE FINISH	MATTE
SELF-HEALING	YES – HEAT-ACTIVATED
UV RESISTANCE	EXCELLENT – PREVENTS PAINT FADING
SCRATCH RESISTANCE	HIGH
IMPACT RESISTANCE	PROTECTS AGAINST STONE CHIPS & ROAD DEBRIS
HYDROPHOBIC PROPERTIES	YES – WATER & DIRT REPELLENT
CHEMICAL RESISTANCE	RESISTANT TO OILS, ACIDS & CONTAMINANTS
COLOR STABILITY	HIGH – MAINTAINS MATTE TONE
ADHESIVE TYPE	ADVANCED PRESSURE-SENSITIVE ADHESIVE
REMOVABILITY	SAFE REMOVAL WITHOUT PAINT DAMAGE
OPERATING TEMPERATURE	STABLE IN EXTREME HOT & COLD CLIMATES
APPLICATION AREAS	FULL BODY / SELECTED PANELS
WARRANTY	UP TO 5 YEARS

UXP



UXP

PAINT PROTECTION FILM

SUPREME

SURFACES OF US

PPF SUPREME UXP IS A PREMIUM HIGH-PERFORMANCE PAINT PROTECTION FILM ENGINEERED TO PRESERVE YOUR VEHICLE'S ORIGINAL PAINT FROM SCRATCHES, STONE CHIPS, HARSH WEATHER CONDITIONS, AND HARMFUL UV RAYS. THE FILM DELIVERS EXCEPTIONAL CLARITY AND DEEP GLOSS, ENHANCED WITH SELF-HEALING TECHNOLOGY THAT ALLOWS MINOR SURFACE SCRATCHES TO DISAPPEAR WHEN EXPOSED TO HEAT, KEEPING THE VEHICLE LOOKING FLAWLESS.
SUPREME UXP IS DESIGNED TO BALANCE STRENGTH, FLEXIBILITY, AND EASE OF INSTALLATION, WITH OUTSTANDING RESISTANCE TO YELLOWING AND CRACKING, AND IS BACKED BY A 5-YEAR OFFICIAL WARRANTY FOR LONG-TERM PEACE OF MIND.

FILM TYPE	THERMOPLASTIC POLYURETHANE (TPU)
TOTAL THICKNESS	8.5 MIL (≈ 215 MM)
TOP COAT / TOP LAYER	SELF-HEALING CLEAR COAT
GLOSS LEVEL	HIGH GLOSS – ULTRA CLEAR
SCRATCH RESISTANCE	EXCELLENT
YELLOWING RESISTANCE	VERY HIGH
UV RESISTANCE	YES (UV RESISTANT)
FLEXIBILITY	HIGH – EASY TO FORM
TENSILE STRENGTH	20 MPA
ELONGATION	250%
WATER CONTACT ANGLE	103°
LIGHT TRANSMISSION	92%
OPERATING TEMPERATURE	-30°C TO +110°C
REMOVABILITY	SAFE – DOES NOT DAMAGE PAINT

UXP



UXP

PAINT PROTECTION FILM

PREMIUM

SURFACES OF US

IS THE PERFECT SOLUTION TO KEEP YOUR CAR'S PAINT IN ITS ORIGINAL CONDITION, LOOKING LIKE NEW FOR YEARS. THE FILM IS DEVELOPED USING THE LATEST THERMOPLASTIC POLYURETHANE (TPU) TECHNOLOGY TO PROVIDE SUPERIOR PROTECTION AGAINST SCRATCHES, STONE CHIPS, HARSH WEATHER CONDITIONS, AND UV RAYS, WHILE MAINTAINING THE ORIGINAL PAINT'S GLOSS WITHOUT ALTERING ITS COLOR.

UXP PREMIUM PPF FEATURES SELF-HEALING PROPERTIES THAT AUTOMATICALLY REPAIR MINOR SURFACE SCRATCHES WHEN EXPOSED TO HEAT, ALONG WITH HIGH FLEXIBILITY THAT FACILITATES INSTALLATION AND ENSURES A SMOOTH, ELEGANT FINISH WITHOUT VISIBLE SEAMS OR EDGES

PRODUCT NAME	UXP PREMIUM PAINT PROTECTION FILM
MATERIAL TYPE	TPU – THERMOPLASTIC POLYURETHANE
TOTAL THICKNESS	7.5 – 8.5 MIL (≈ 190 – 215 MICRONS)
TOP LAYER	SELF-HEALING TOP COAT
GLOSS	ULTRA GLOSS / HIGH CLARITY
SCRATCH RESISTANCE	EXCELLENT
YELLOWING RESISTANCE	HIGH
UV RESISTANCE	UV RESISTANT
ELONGATION	> 250%
WATER CONTACT ANGLE	> 100°
INSTALLATION TEMPERATURE	10°C – 30°C
APPLICATION	EXTERIOR AUTOMOTIVE PAINT PROTECTION
SERVICE LIFE	LONG-LASTING PERFORMANCE
WARRANTY	5 YEARS

UXP


UXP
PAINT PROTECTION FILM
PREMIUM
UXP
UXP

PAINT PROTECTION FILM
PRO



SURFACES OF US

UXP PAINT PROTECTION FILM (PPF) IS A LUXURY HIGH-GLOSS PAINT PROTECTION FILM MADE FROM PREMIUM-QUALITY TPU MATERIAL, SPECIALLY DESIGNED TO PRESERVE THE VEHICLE'S ORIGINAL PAINT WHILE GIVING IT A SLEEK, MODERN, AND ELEGANT GLOSSY APPEARANCE.

THE FILM PROVIDES ADVANCED PROTECTION AGAINST SCRATCHES, STONE CHIPS, ABRASION, AND HARSH ENVIRONMENTAL CONDITIONS, WHILE MAINTAINING A STABLE GLOSSY FINISH WITH NO COLOR CHANGE OVER TIME.

TOTAL THICKNESS	7.5 MIL (185 MM)
TPU URETHANE	6 MIL (150 MM)
TOP COAT	0.5MIL (13 MM)
ADHESIVE	1 MIL (23 MM)
LINER	3 MIL (75 MM)
TENSILE STRENGTH	>15 MPA
ELONGATION AT BREAK	>280%
INITIAL PEEL	>300 N/M
NORMAL STATE	>600 N/M
AFTER WATER IMMERSION	>600 N/M
AFTER ACCELERATED WEATHERING	>600 N/M
GLOSS	>87%
WARRANTY	10 YEARS

UXP


PAINT PROTECTION
PAINT PROTECTION FILM
10 YEARS
PRO
U-XP
U-XP
U-XP

U-XP

PAINT PROTECTION FILM

PLATINUM

SURFACES OF US

UXP PAINT PROTECTION FILM (PPF) IS A LUXURY HIGH-GLOSS PAINT PROTECTION FILM MADE FROM PREMIUM-QUALITY TPU MATERIAL, SPECIALLY DESIGNED TO PRESERVE THE VEHICLE'S ORIGINAL PAINT WHILE GIVING IT A SLEEK, MODERN, AND ELEGANT GLOSSY APPEARANCE.

THE FILM PROVIDES ADVANCED PROTECTION AGAINST SCRATCHES, STONE CHIPS, ABRASION, AND HARSH ENVIRONMENTAL CONDITIONS, WHILE MAINTAINING A STABLE GLOSSY FINISH WITH NO COLOR CHANGE OVER TIME.

TOTAL THICKNESS	7.5 MIL (185 MM)
TPU URETHANE	6 MIL (150 MM)
TOP COAT	0.5MIL (13 MM)
ADHESIVE	1 MIL (23 MM)
LINER	3 MIL (75 MM)
TENSILE STRENGTH	>15 MPA
ELONGATION AT BREAK	>300%
INITIAL PEEL	>360 N/M
NORMAL STATE	>620 N/M
AFTER WATER IMMERSION	>620 N/M
AFTER ACCELERATED WEATHERING	>620 N/M
GLOSS	>92%
WARRANTY	7 YEARS



UXP

PAINT PROTECTION FILM

DIAMOND

SURFACES OF US

UXP PAINT PROTECTION FILM (PPF) IS A PREMIUM GLOSSY PAINT PROTECTION FILM MADE FROM HIGH-QUALITY TPU MATERIAL, SPECIFICALLY DESIGNED TO PRESERVE THE VEHICLE'S ORIGINAL PAINT WHILE GIVING IT A SLEEK, MODERN, HIGH-GLOSS FINISH.

THE FILM PROVIDES ADVANCED PROTECTION AGAINST SCRATCHES, STONE CHIPS, ABRASION, AND HARSH ENVIRONMENTAL ELEMENTS, WHILE MAINTAINING A CONSISTENT GLOSSY TEXTURE WITH NO COLOR CHANGE OR YELLOWING OVER TIME.

TOTAL THICKNESS	8.5 MIL (215 MM)
TPU URETHANE	7 MIL (178 MM)
TOP COAT	0.5MIL (13 MM)
ADHESIVE	1 MIL (23 MM)
LINER	3 MIL (75 MM)
TENSILE STRENGTH	>20 MPA
ELONGATION AT BREAK	>250%
INITIAL PEEL	>400 N/M
NORMAL STATE	>600 N/M
AFTER WATER IMMERSION	>600 N/M
AFTER ACCELERATED WEATHERING	>600 N/M
WATER CONTACT ANGLE	>103°
GLOSS	>98%
WARRANTY	10 YEARS


U-XP
PAINT PROTECTION FILM
DIAMOND
PROTECTION
U-XP
U-XP

UXP TOOLS



UXP

Building Thermal Insulation

UXP provides advanced building glass insulation solutions using the latest thermal insulation films and Ultra Nano Ceramic technology, specifically designed for residential and commercial buildings. These films significantly reduce heat transfer, block harmful UV rays, and protect furniture and interior decor from damage. Additionally, they help improve energy efficiency and reduce air conditioning consumption, while maintaining clear visibility and natural lighting, creating a comfortable and healthy indoor environment. UXP's services combine high performance and long-lasting durability to ensure a long-term investment in building protection and enhanced comfort for occupants and users."



UXP

LUXURY YACHT PROTECTION

UXP PROVIDES ADVANCED PROTECTION SOLUTIONS FOR YACHTS, INCLUDING HIGH-PERFORMANCE PAINT PROTECTION FILMS AND THERMAL INSULATION, ENGINEERED TO WITHSTAND HARSH MARINE ENVIRONMENTS WHILE MAINTAINING A PREMIUM LOOK AND LONG-LASTING DURABILITY .



UXP

Advanced Electronic Cutting Technologies

At UXP Car Care, we use the latest and most advanced electronic cutting machines specialized for Paint Protection Films (PPF) and window thermal insulation films, ensuring high-precision cutting, perfect installation without any manual intervention, and complete vehicle protection according to the highest standards of quality and professionalism.



UXP

UXP Car Care Features

Global Standard Quality

At UXP, we use high-quality materials and products that comply with international standards, carefully selected to deliver the best performance in car protection and detailing.

Comprehensive Protection Solutions

From Paint Protection Films (PPF) to window thermal insulation and nano ceramic coatings, we provide a complete system that protects your car from environmental factors while preserving its value.

Advanced Technologies

We rely on the latest automotive care technologies, such as Ultra Nano Ceramic and self-healing PPF, to ensure long-lasting results.

Professional Technical Team

Our technicians are highly trained specialists, paying meticulous attention to every detail at each stage of the process.

Tangible and Immediate Results

Experience a visible improvement in appearance, deep shine, effective protection, and a more comfortable driving experience from day one.

Genuine and Certified Warranties

We provide clear warranties on all services, reflecting our confidence in the quality of materials and .

Tailored Solutions per Customer

We offer customized solutions for each car based on its type, the owner's usage, and the surrounding environment to achieve the best possible results.

Experience and Elite Client Trust

UXP is a trusted choice among elite clients seeKing quality and professionalism.

Multiple Branches with Consistent Service

We ensure the same level of quality and standards across all our branches to provide a consistent and exceptional experience.

Preserving Vehicle Value

Our services go beyond aesthetics; they also help maintain your car's marKet value over the long term.

UXP

POLISH

Car Polishing Services

UXP POLISH

We offer premium car polishing services using the highest-quality materials and the expertise of our skilled technicians, equipped with the latest global tools and equipment in the field of car polishing



UXP

NANO CERAMIC

Paint protection with nano ceramic technology for exceptional shine and brilliance

UXP Nano Ceramic Paint Protection is specially formulated in certified laboratories in the United States to provide high-level protection for car paint. It adds ultra-hard glass layers to the vehicle's paint at a micron-level thickness, offering protection against chemical damage, UV rays, water, and dirt, while giving the paint a highly reflective, glass-like shine and a smooth texture. This is achieved through pore-sealing technology, preventing any chemical damage from penetrating the paint.



UXP

Window Film Nano Ceramic Film

We offer a transparent window thermal insulation film available in a range of advanced tint levels, allowing you to choose the exact shade you desire. This elegant film, featuring nano ceramic technology, exudes sophistication while providing superior heat rejection, glare reduction, and protection against UV rays without the use of metals, ensuring it does not interfere with the signals of your electronic devices.

This insulation film is manufactured to precise standards, incorporating a layer made of nanoparticles to maximize heat rejection and enhance UV protection, along with an additional layer to achieve optimal scratch resistance.





UXP

Paint Protection Film

Transparent Car Paint Protection Films

UXP

The UXP Paint Protection Film is not a conventional protection film; it is made from a blend of advanced rubber polymers.

"The transparent film is specially designed to resist distortion and yellowing caused by pollution and UV radiation.

"It also features self-healing properties that automatically repair minor marKs and surface scratches caused by regular washing and drying.

A New Concept of Protection and Elegance for Your Car

At UXP Car Care, we provide a comprehensive system of protection and detailing services specifically designed to maintain your vehicle at the highest level of quality and performance, using the latest global technologies and materials that meet the strictest standards.

We believe that a car is not just a means of transportation, but an investment that reflects your taste and value. That's why we deliver professional solutions that preserve its appearance, performance, and market value over the long term.

Our Services Include

Paint Protection Films (PPF)
We offer high-quality transparent, matte, and colored paint protection films that protect the original paint from scratches, stone chips, weather conditions, and UV rays, featuring self-healing properties and long-lasting gloss.

Window Thermal Insulation
We use advanced Ultra Nano Ceramic thermal insulation films to reduce cabin heat, block a high percentage of harmful UV rays, protect the vehicle's interior, and provide full visual clarity without affecting electronic signals.

Nano Ceramic Coating
Professional nano ceramic coating that provides superior protection against dust, dirt, chemicals, and environmental factors, delivering deep gloss and an easy-to-clean surface with long-lasting performance.

Professional Polishing
Advanced multi-stage polishing services to remove surface scratches, eliminate defects caused by improper washing, and restore the paint's shine to a like-new condition.

Car Care Tools and Products
We offer a carefully selected range of high-quality car care tools and products designed for both professional and home use, ensuring optimal results in cleaning and protection.

Yacht Protection
We provide specialized yacht protection solutions, including hull protection films and thermal insulation, engineered to withstand harsh marine environments, resist scratches and environmental elements, while maintaining a premium appearance and long-term durability.

Building Thermal Insulation
We provide advanced thermal insulation films for residential and commercial building facades and windows, helping to reduce heat transfer, block harmful rays, improve energy efficiency, and enhance indoor comfort without compromising natural light or visibility.

Our Branches

UXP Car Care currently operates 8 branches distributed as follows: 3 branches in Jeddah, 3 branches in Riyadh, 1 branch in Al Kharj, and 1 branch in Cairo, Egypt.
We continuously strive to expand our branch networK across the Kingdom to better serve our customers and meet all their needs wherever they are.



Our Vision

We strive to become the leading destination for car care in the Kingdom of Saudi Arabia and the Middle East by delivering innovative and comprehensive protection solutions, including PPF, nano ceramic coatings, window tinting, and professional polishing.

We aim to preserve vehicle value and aesthetics over the long term while providing an exceptional customer experience that combines professionalism with global quality standards.

We believe in continuous innovation and the use of the latest technologies and environmentally friendly materials to ensure optimal performance and the highest safety standards.

We also seeK to expand our presence across all regions of the Kingdom and neighboring countries, becoming a trusted, leading brand that customers rely on everywhere—offering integrated, one-stop solutions for all car care needs, reflecting our commitment to quality, excellence, and innovation.



U-XP

Our goals

Delivering the highest levels of car protection and care through the latest global technologies, including PPF, nano ceramic coatings, window tinting, and professional .polishing

Preserving vehicle appearance and value by ensuring long-term protection for .all interior and exterior components

Providing an exceptional customer experience through world-class quality in every .service and a highly professional team

Expanding our presence across all regions of the Kingdom of Saudi Arabia to ensure .easy access to our services wherever our customers are

Striving to expand throughout the Middle East, aiming to become the first choice for car .care in the region

Offering integrated, one-stop solutions for all car care needs, including protection .services, polishing, car care tools, and maintenance products

Committing to innovation, quality, and the use of environmentally friendly materials .to ensure optimal performance and the highest safety standards



UXP

Information about UXP Company

UXP Car Protection & Care Services is a specialized company providing comprehensive solutions in the fields of Paint Protection Films (PPF), automotive window tinting, nano ceramic technologies, as well as advanced polishing and car care products for all types of vehicles.

The company was established as an extension of over ten years of hands-on experience in automotive and architectural window tinting within the Kingdom of Saudi Arabia, enabling UXP to build a strong foundation of expertise and technical Knowledge.

UXP operates with a clear vision focused on preserving vehicle appearance, enhancing protection, and improving long-term performance and quality. This is achieved through the adoption of the latest technologies, globally approved materials, and the application of the highest standards of quality in execution.

UXP is the exclusive distributor of UXP USA products in the Kingdom of Saudi Arabia, within a strategic partnership that reflects mutual trust and a shared commitment to innovation and excellence.

Throughout its journey, the company has achieved continuous growth and earned the trust of a large number of international automotive dealerships across the Kingdom, thanKs to its high level of professionalism and superior service quality.

This success is driven by an experienced management team specializing in research and selection of premium products, along with UXP's continuous commitment to training and qualifying its technical teams through leading global companies in paint protection films, window tinting, nano ceramic technologies, and comprehensive automotive care.

UXP continuously strives to deliver integrated solutions that ensure maximum protection, superior aesthetics, and a complete car care experience, meeting customer expectations and reinforcing long-term trust.



CATALOG CONTENTS

- COMPANY INFORMATION
- OUR VISION
- OUR GOALS
- OUR BRANCHES
- A NEW PROTECTION CONCEPT
- PAINT PROTECTION FILM (PPF)
- THERMAL INSULATION
- NANO CERAMIC COATING
- POLISHING
- FEATURES
- ELECTRONIC CUTTING TECHNOLOGY
- YACHT PROTECTION SERVICE
- BUILDING GLASS INSULATION
- TOOLS
- DIAMOND PROTECTION
- PLATINUM PROTECTION
- PRO PROTECTION
- PREMIUM PROTECTION
- SUPREME PROTECTION
- MATTE PROTECTION
- COLORED PROTECTION
- UN INSULATION
- IR INSULATION
- XP INSULATION
- PRO INSULATION
- BUILDING GLASS INSULATION
- SECURITY (STANDARD)
- SECURITY (TPU)
- HEADLIGHT PROTECTION
- SUNROOF PROTECTION
- POLISHING 01
- POLISHING 02
- POLISHING 03
- NANO SUPREME
- 9H
- 10H
- SHAMPOO & WAX
- UX6000
- TIRE GLOSS
- SUPREME SHINE
- NANO CLOTH
- ALCOHOL
- PPF INSTALLATION GEL
- OUR CLIENTS

THANK YOU

Authorized Agent
in the Middle East